

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





1908

U.S. LIBRARY  
Department of Agriculture,  
Washington, D. C.  
Wm. Eber & Son's

CATALOGUE

OF HIGH-CLASS



...Seeds and Bulbs...

Garden Implements, Etc.

QUINCY, ILL.

FOR INDEX SEE THIRD PAGE COVER



# TO THE PUBLIC

**N**OTHING for which money is expended makes so large a return as SEEDS, if they are GOOD. And NOTHING causes greater vexation than WORTHLESS seeds. If you wish to avoid disappointment, don't rely upon seeds peddled over the country and sold on commission. The chances are against their vegetation.

The steady growing volume of our business for a GREAT MANY YEARS is the best proof of the reliability of our seeds, which we select and procure WITHOUT REGARD TO COST; and, indeed, we cannot afford to sell poor seed, as our customers' interests are identical with our own. We wish, and expect, to supply them with seeds every coming year, and the only way to accomplish this end, is to offer pure and reliable stock.

All progressive farmers and gardeners are well aware that changing seed is of the greatest importance and value, while others, planting their own seeds continually, year after year, will see their crops run down to a minimum.

We feel assured in saying that the seeds we offer cannot be surpassed by ANY, and will give entire satisfaction if proper treatment is bestowed. It sometimes happens that seeds of unquestionably good quality fail to germinate or grow to perfection for want of timely and proper treatment or unfavorable weather, and it must be distinctly understood that we give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs, or plants we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

WM. EBER & SON,

234-236 Sixth Ave. N.

QUINCY, ILL.

ESTABLISHED 1863



# To Our Friends and Customers

**T**HE year 1908 is adding another of the many catalogues issued by us, reaching as far back as the sixties of last century, and which has always been a welcome visitor to our numerous customers and friends. We take pleasure in thanking them for the liberal patronage bestowed upon us for so many years, and we would assure them, as well as all others who may favor us with their patronage, that we shall at all times endeavor to gain and maintain their entire satisfaction and good will.

We would also respectfully suggest to give the **reading matter** of this catalogue a careful perusal, rather than look at the pictures, as we are giving the purchaser the value in seed, and not in pictures, as many do. It is interesting and useful reading for the **farmer**, for the **gardener** and **amateur of flowers**. Should you, however, not be interested, please hand it to your neighbor, who may be. No doubt, most any one will find something of interest.

In the rush of our busy season, it sometimes may happen that mistakes will occur. In such a case, please report immediately and we will cheerfully correct them.

## How to Order

With every catalogue we always send an order sheet and addressed envelope. This order sheet will be found much more convenient than an ordinary sheet of paper, and by using the addressed envelope there will be no danger of your remittances being miscarried.

Always be careful to have your name, post office, county and state written distinctly. Numbers of times we receive orders with the money enclosed, without any address, and then the sender wonders why he does not get his goods or an answer. All orders, large or small, receive prompt attention.

## Seeds by Mail

Our prices include postage on all vegetable and flower seeds, by the packet, ounce or pound, except **peas**, **beans** and **corn**, where 15 cents per quart and 10 cents per pint must be added to catalogue price.

## Prices


Our first consideration and constant aim is to offer the highest class Seed procurable, and the next to put our prices as low as good, reliable seed can be sold. We feel assured in saying that there is no occasion for any one to send away money for goods in our line, which you can get at home at the right price, and what is more, the best of quality; besides you have the satisfaction of aiding home industry.

## To Dealers and Country Merchants

We would offer special inducements—particularly on **paper seeds**. As we do not send out any seeds on commission, you are sure to get fresh stock every time and have the satisfaction of selling the best and freshest to your customers, while this cannot be said of commission seeds, which are often of doubtful quality, besides you derive better profits and larger sales in handling our seeds. Our papers contain nearly twice as much fresh, reliable seed than common seed trade packages. There is no need of keeping over any stock, as you can buy in quantities when and as you need them. Correspondence invited.

## Market Gardeners

And other large growers of vegetables we supply at the most reasonable terms, and are especially invited to call for prices. We do not send out any agents, believing that our catalogue, carefully read, is of more and lasting benefit than unwarranted talk.


 From unknown parties, remittances should be sent in with order, either in the form of money order, bank draft, express order or registered letter.



# DIRECTIONS

—FOR THE—

## Cultivation of Vegetables



**T**O SECURE a good crop of vegetables three things at least are necessary, viz: A **SUITABLE SOIL**, **PURE SEED** and **CLEAN CULTURE**, to which may be added, as equally necessary, an *abundant* supply of good **BARN-YARD MANURE**, supplemented, when this runs short, by *artificial fertilizers*. The exposure for a vegetable garden should be preferably south, or southeast, or nearly so. The soil should be naturally fertile and friable, a sandy loam being always the best. If the soil be stiff, it should be gradually mellowed by the free use of barn-yard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be underdrained, preferably by tile; but if possible, a location should be selected that is naturally dry and free from surface water.

A dark colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil is shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or subsoiling, unless manure and money be both abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best and uniform results, the vegetable garden should have at least one foot of good rich soil. The roots of large trees should not be allowed to encroach any part of the garden, though large trees, especially

evergreens, sufficiently far off, afford a valuable protection from the north and west.

Mark the garden off into squares, or beds of convenient size, to facilitate the practice of rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes and a few other things may form an exception to this rule, but it is nevertheless better to keep up the rotation. Every year these beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow everything in drills or straight lines, not even excepting corn and potatoes. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills and other special information is given in the body of this catalogue. The least distance is named in order to economize space. It might be increased in some cases with advantage. The ground should be frequently hoed to kill the weeds and keep the soil mellow; and the proper time to hoe is just when the weeds appear above the ground. Briefly, the proper way to kill weeds is **NEVER TO LET THEM GROW**. If the weeding be done at the time suggested, it can be effectually and quickly done by the use of a sharp-toothed steel rake.

Soil working implements are a real necessity in practicing the art of gardening economically. Seeding by hand is excessively slow, uncertain and unsatisfactory, because of irregularity. Up-to-date machines plant the seed accurately in a straight, narrow line. Cultivators and wheel hoes stir and mix the sod, cut out every weed below the surface between the rows and maintain a fine loose earth mulch, about an inch deep, over the entire plot. These tools do all that can be done to the ground better, easier and at less expense than by the old system of hand labor. Once used, always used.

We have a full and complete stock of the above implements. See pages 38, 39, 40.

The freshest seeds of some kinds often fail from unseasonable and improper management in sowing and other circumstances affecting their vegetation. When sown too early or too deep, while the ground is cold, wet and heavy, they are apt to rot; when sown too shallow, in dry time and late in the season, there may not be sufficient moisture to sprout them, or they may have dried up by dry winds or a hot sun after they have germinated. Sometimes insects destroy them before or immediately after their appearance above the ground, so that the complaints occasionally made by the inexperienced are not always to be attributed to the quality of seed. Instructions in this book are ample, and when they are read and followed up, ninety-nine out of one hundred have no reason to blame the seed.



**Soaking Seed in Warm Water**

twenty-four to forty-eight hours, and then rolling in plaster or ashes, will very much hasten the germination and growth of hard and dry seeds. It will give the plants a start on the weeds, and lessen a good deal the labor of cultivation. Very hard shelled seeds should be treated with boiling water and left to cool.

**Sowing Seeds**—Warmth and moisture are essential, and seclusion from light is favorable to germination. The first care in sowing seeds should be to choose suitable ground, the proper season and state of earth, and then to place them at such depth beneath the surface as will insure the requisite supply of moisture. In general, all seeds should be covered more or less, according to their size and the advance of the season; late sowing requiring to be covered the deepest. The smallest seeds should be sown very shallow in fine earth and rolled or beaten firmly with the back of the spade.

**Thinning Out**—Next to errors of too deep or two shallow sowing of seeds, are the errors of thick seeding without corresponding thinning and not let the plants get too large.

It is far better to thin out a row of beets, lettuce, carrots or parsnips so as to obtain good specimens, at proper distances, than miserable abortions crowding together at half an inch apart, as is often seen in the gardens of the inexperienced. So clearly evident is the advantage of thinning out that we will not waste space dwelling upon it, other than to give the following table of suggestive distances to which vegetables in the private garden should be thinned:

- 1 inch—Radishes.
- 2 inches—Beans, carrots, peas, salsify, corn, salad.
- 3 inches—Leeks.
- 4 inches—Beets, kale, onions, parsnips, spinach, turnips.
- 5 inches—Endive, parsley.
- 6 inches—Lettuce, okra.

**Transplanting** is an important feature in gardening operations, and one often improperly done. It is a great mistake to select a rainy day for this important work. Transplant in a clear day, either in the morning or toward night; make a hole sufficiently large to hold the plant; fill with water and puddle the plant in; then press the soil firmly around the plant. Afterwards cover with dry soil and the plant will never droop, it matters not how warm or sunny the day may be. It may be urged that this is not practicable with large fields of cabbage, cauliflower or tomatoes; but the best way is always the most practical, consequently the cheapest. It is economy to devote a day to a work and have the plants all thrive and live, than to put them out in one-fourth of the time and have a large portion die and the remainder only half live.

**In Dry Weather** it is of great importance to FIRM and TREAD the soil after the seed is put in. Seed sown in this manner will readily germinate and grow while otherwise the result will be doubtful. This precaution should not be overlooked in sowing very small and light seed. Moist ground needs no firming.

**Insects of All Kinds** are troublesome and sometimes very destructive. Plaster of Paris, snuffs, ashes, or soot sifted on cucumbers or squashes, when wet with dew, is very useful against the striped bug. Lime, road-dust, ashes or snuffs, scattered over young cabbage or turnips, will sometimes prevent the ravages of the black fly. Rolling the ground after sowing answers a good purpose; but the best preventative is a thorough sprinkling of the plants in the evening with whale oil soapsuds, in proportion of one pint of soap to seven and a half gallons of water. This will kill cabbage lice and all other aphides. It is sure death to all tender insects, when forcibly applied with a garden syringe or rubbed on with a brush. For the want of the whale oil soap, strong soft soapsuds may be used. Salt is sometimes sown in the drills with onion seed to drive away the grub. Fine salt or Slug Shot strewn broadcast over cabbage is the best application we know of for destroying the little green cabbage worms and maggots.

**Cutworm**—To destroy them take wet bran with some molasses, adding a little Paris Green, and place the mixture at various parts where worms are at work, rather on ridges than on lower places.

**French Bordeaux Mixture, in Pulp**—Ready for immediate use by dilution. It works freely without clogging in any spraying machine. The uniformity of its consistence permits of a very fine spray, and consequently large economical distribution of a small quantity evenly over a large area of surface. It sticks effectively.

**Kerosene Emulsion**—This is a perfect, reliable and safe concentrated emulsion that does not separate and can be reduced by adding thirty or more parts of cold water; it is ready at all times for use. It will kill sucking, or leaf-eating insects, plant lice, and all true bugs, such as tree bugs, squash bugs, etc. For plum curculio spray just before the blossom buds open, and the second time two weeks after the petals fall; adding a little Paris Green at this time will kill leaf lice, aphides, bugs and other insects injurious to fruit and foliage.

**Force Pumps**—In order to apply any one of the above named insecticides it is *absolutely necessary* to use a force pump if complete success is desired. There are many kinds, of different construction, but they all do good and effective work: unlike old and more expensive machines, they are simple, light and handy, besides taking much less spraying material on account of the exceedingly fine spray, which saturates every part of the plant thoroughly. Any one can handle them with ease.

For applying dry powder use bellows. For prices see page 37.

Save your wood ashes, it destroys worms and gives color too root crops.



# SEEDS OF SPECIAL MERIT

**Beans—Bohnen** **Wardwell Kidney Wax**—Early, long, flat, purely wax pods, producing heavy crops.

**Davis Wax**—Long, handsome, waxy pods.

**The Longfellow New Bush Bean**—An ideal snap bean. Considering the large size of pods, it is as early as any, and no variety surpasses it in delicious flavor. The perfectly round, long, straight, solid pods are its most prominent features. A good bearer. It has fully proven all that is claimed for this really meritorious bean by our experience.

**Stringless Green Pod**—About a week earlier than the Valentine; absolutely stringless and of fine quality. A valuable acquisition in the bean line.

**Old Homestead, or Kentucky Wonder**—The most popular large podded pole bean; it bears in clusters and in pods, is seven to eight inches in length, unusually prolific and very tender.

**Wood's New Bush Lima Beans**—This bean is a great improvement over the Henderson's Bush Lima; it is nearly double the size, of finer quality, more prolific and of stouter stem to hold the beans from the ground.

**Bountiful**—Large-sized, broad, green and tender pods, early, very productive and fine quality.

**Black Valentine**—Pods long, round and straight, good quality, early, productive and attractive.

**Beets—Rothé Rubeen** **Crosby's Improved Egyptian**—An improvement on the Early Egyptian. More globe-shaped and of unsurpassed eating quality.

**Detroit Dark Red**—One of the best red turnip-shaped varieties. Has small, upright tops; splendid shape; color of skin is dark blood-red; flesh deep, bright red. Very crisp, tender and sweet; matures early and keeps in good condition for a long time.

**Cabbage—Kraut, Kopfkohl** **Stein's Early Flat Dutch**—Earliest flat-headed cabbage; succeeds the Jersey Wakefield. A remarkably fine strain; a sure solid header, weighing ten to twelve pounds each; very best quality and most valuable for market, has a most excellent reputation.

**Thorburn's Colossal**—Largest and finest of all for fall and winter use.

**St. Louis Market**—This is the finest and best late cabbage ever put on the market. Stands longer on the field after maturing without bursting. An excellent keeper and shipper.

**Danish Bald Head Winter**—The heads are very hard and round, of good size and fine for keeping, shipping and kraut.

**Cauliflower—Blumenkohl** **Gilt Edge**—Large and heavy sort; undoubtedly the best and surest of all sorts now in cultivation.

**Large Early Snowball**—Short stem; finest strain. It is one of the best for forcing under glass or for open ground.

**Celery** **Giant Pascal, Golden Heart**—Best celery for the market gardener and general use. Productive, tender, sweet and crisp.

**Cucumber—Gurke** **Cumberland**—The best pickling sort yet introduced, being very handsome and productive, with flesh firm but crisp and tender at all stages of growth; shape very straight and symmetrical.

**Endive** **De Ruffec**—Large **Green Curled**—Broad ribs, fine for fall and winter.

**Melrose Sweet Corn** A new sort obtained by intercrossing the best early varieties and selecting for seed the earliest and largest ears. This process was kept up for several years, and the result is sweet corn as early as the *Early Cory Corn* and with ears twice as large, and producing two to three ears to the stalk. On account of its sweetness, earliness, size of ears and productiveness, this is the best for all market purposes.

**Premo**—Extra early; large and fine quality.

**Peep O'Day**—Our customers will make no mistake in taking this corn. It is very early.

**Potatoes** **Noroton Beauty**—It is the earliest potato ever grown, being sixteen days earlier than the *Early Rose*, and fully as productive as any main late sort. Eating quality unexcelled. It is the most valuable and best potato ever introduced. It has borne out the claim made for it.



**Lettuce—Salat** **New Boston, or Hothouse Lettuce**—This new variety is especially adapted for growing in greenhouses; a sure header, not liable to rust, and very valuable for market gardeners.

**Thorburn's Maximum**—It is the largest and solidest of all our head-lettuce, and its table quality is simply perfect as to tenderness and crispness; flavor butter-like; it is also heat resisting.

**Onions—Zwiebel** **Prize Taker**—Light, yellow, of enormous size.  
**Mammoth Silver King**—Large, white.  
Both sorts highly recommended for hot-bed culture.

**Australian Brown**—Medium size, hard, solid, very early; originally from Spain, but since acclimatized to this country became a better keeper.

**Pepper** **Chinese Giant**—Of recent introduction, is undoubtedly the largest and sweetest pepper ever offered.

**Water-Melons** **Sweet Heart**—A fine oval, very heavy, light green melon. Has no equal as a shipping melon.

**Ferry's Iceberg, or Blue Gem**—(See page 12).

**Monte Christo, or Kleckley Sweet**—The skin is too tender to admit shipping; most desirable, however, for home market. The shape is long and it is decidedly the sweetest of all water-melons.

**Musk-Melons** **New Burrell Gem**—With golden meat, spicy, sweet and one of the best sellers.

**Admiral Togo**—(See page 13).

**Osage Gem**—New, not very large, has an exquisite flavor, oblong shape, orange flesh.

**Long Island Beauty**—Round shaped, green flesh and densely netted. The earliest, finest quality and most beautiful of all musk-melons.

**Defender**—New, of regular, even size and finely netted; about seven inches in length; flesh bright orange, thick, crisp, melting and of splendid flavor.

**Peas—Erbsen** **Nott's Excelsior**—A splendid extra early, wrinkled, new sort; dwarf and very prolific.

**Gradus**—Without doubt the finest extra early pea yet introduced; it ripens almost as early as our extra early market. The pods are large, and well filled with large wrinkled, deep green peas of the finest quality; height three feet.

**Sutton's Excelsior**—Extra early dwarf, broad pods, large peas, productive and of finest flavor.

**Dwarf Champion**—Main crop peas; pods very broad and long, filled with large, sweet and tender peas, and unsurpassed in quality.

**Radishes** **New Icicle**—The name is given in allusion to the shape and the transparent whiteness of the root. The leaves are short; flavor exceedingly fine and very early. It is the first long, white, forcing radish yet introduced.

**Crimson Giant Forcing**—An entirely new type, growing more than double the size of other forcing varieties without becoming pithy or hollow. The radishes run from six to seven inches in circumference, and yet remain firm and crisp. It is equally well adapted for forcing or outdoor cultivation.

**Round Scarlet China**—The very best for summer and fall; matures in six to eight weeks.

**Tomatoes** **June Pink**—A very early market sort; smooth and of a bright pink color, medium size.

**Spark's Earliana**—The earliest large, smooth, red tomato; handsome shape and good flavor.

**New Stone Dwarf**—Has the same good characteristics of the Stone Tomato, but valuable for its dwarf habits.

**Chalk's Early Jewel**—Very fine, large, solid, smooth, bright red; similar to the Stone, but early.

**Dahlias** The finest collection ever brought to this city. See page 32.

**Rudbeckia** The habit of this plant is most excellent; the flower, golden yellow, blooms in greatest profusion by August and September; stems from three to four feet high and a hardy perennial. It is certainly an ornament to any garden. Price from 10 to 20c per clump.



# Select List of Vegetable Seeds

We have ONLY ONE QUALITY and that is the BEST. Neither the Private nor the Market Gardener will be disappointed on that point.

## BEANS.—Bohnen.



### DWARF OR BUSH

#### GREEN POD SORTS.

About the first of May select a warm, dry, sheltered spot, dig and manure slightly; make drills an inch deep and two feet apart, drop beans two inches apart and cover not more than one inch deep. Keep hoed when not wet; keep the weeds killed, and plant every two weeks in succession.

	qt.	pk.
<b>New Bountiful</b> —Page 4.....	30c	
<b>New Black Valentine</b> —See page 4.....	30c	
<b>Early Valentine</b> —Cleveland's Improved—Productive and of excellent flavor, round pod;.....	20c	1 00
<b>Early Long, Six Weeks</b> —Early and prolific.....	20c	1 00
<b>Early Mohawk, Improved</b> —Productive, hardy and of good quality.....	20c	1 00
<b>New Stringless Green Round Pod</b> —The coming market garden bean (See page 4).....	25c	1 25
<b>New Longfellow</b> —(See page 4).....	25c	1 40
<b>Extra Early Refugee</b> —Is similar in every respect to the ordinary Refugee, but it is nearly two weeks earlier. It is enormously prolific, and from its earliness is almost certain to produce a crop, no matter how unfavorable the season. In quality it is unexcelled, being exceptionally free from string and meltingly tender at all stages of its growth. Price—quart, 20c; peck, \$1.00.		
<b>California Prolific Tree</b> —For field culture—peck, \$1.00; quart, 20c.		

### DWARF BUSH LIMA.

	qt.	pk.
<b>Henderson's Bush Lima</b> .....	30c	1 75
<b>Burpee's Bush Lima</b> .....	30c	1 75
<b>Thorburn's Bush Lima</b> .....	30c	1 75
<b>New Wonder</b> .....	30c	1 75
<b>Wood's Improved Lima</b> (see page 4).....	30c	1 75
<b>English Dwarf Beans</b> —Große Bohnen—Plant early.....	25c	


## WAX PODDED SORTS

<b>Hodson Wax</b> —Very large, brittle qt. pk. and tender wax pods; stringless; enormously productive.....	25c	
<b>Golden Wax</b> —Early and very valuable, a well known standard.....	25c	1 35
<b>Wardwell's Dwarf Kidney</b> —Extra early; purely wax pod, long, flat and remarkably free from rust.....	25c	1 50
<b>Bismarck Black Seed</b> —A long, round pod variety, great favorite.....	25c	1 35
<b>Thorburn's Refugee Wax</b> —With long, round, yellow wax pods. The earliest wax bean in cultivation. Suitable for early or late sowing. An immense yielder.....	25c	1 50
<b>Davis' White Kidney Wax</b> .....	25c	1 50

## POLE BEANS

Sow as soon as the soil becomes warm and dry, from first part of May (for all except Limas) in hills four feet apart each way. *Limas* should not be planted until warm weather has fairly set in. In wet and cold soil beans will rot and not come up. One quart of Limas will plant one hundred hills.

	qt.	pk.
<b>King of the Garden</b> —Large in pod and bean; prolific.....	30c	1 75
<b>Small Lima, or Sieva</b> —Small, but good quality.....	30c	1 75
<b>Horticultural</b> —Excellent, either as snap or shell bean.....	30c	1 50
<b>Case Knife</b> —Pods long and flat; for shell and snap beans.....	30c	1 50
<b>Cut Short</b> —A fine corn-field bean.....	30c	1 50
<b>Old Homestead</b> —We regard this far ahead of any other green pole bean. It is early, stringless, very tender and enormously productive. The round, silvery pods hang in great clusters from top to bottom.....	30c	1 75
<b>Speckled Lima</b> .....	30c	1 75
<b>Lazywife</b> —Green podded, thick, fleshy, entirely stringless and of a fine buttery taste.....	30c	1 75



To the price of Beans, Peas and Corn 15c per quart should be added if ordered by mail.




**SWEET CORN.**

(Add fifteen cents a quart if by mail).

	qt.	pk.
<b>Premo</b> —World's earliest sweet corn (see page 4).....	25c	\$1 25
<b>Peep O'Day</b> —Very early (S. p. 4).....	25c	1 25
<b>Thorburn's Melrose</b> —(see page 4).....	25c	1 75
<b>Extra Early White Cory</b> .....	25c	1 25
<b>Early Minnesota</b> .....	25c	1 25
<b>Early Crosby</b> —Very sweet.....	25c	1 25
<b>Perry's Hybrid</b> —Most popular.....	25c	1 25
<b>Improved Evergreen</b> —For main crop, large and sweet.....	25c	1 75
<b>Country Gentleman</b> —Of exquisite quality.....	25c	
<b>Black Mexican</b> —Very sweet.....	30c	
<b>Extra Early Adams</b> —This is no true sweet corn, but it is the earliest of all corn; a money maker to gardeners.....	20c	85

**PEAS.—Erbfen.**

(Fifteen cents per quart extra if by mail).



Light, dry soil, not over rich, suits the pea. Plant as early as the ground can be worked and again every two weeks in succession throughout the season. Plant in single or double rows, from four to six feet apart, according to height, about an inch apart in the row, and four inches deep. In the summer plant four to five inches deep, hoe often; tall sorts

can be made to bear more freely by pinching in and drawing earth up to the vines.

Those marked with a \* are wrinkled varieties which should not be planted until the ground is warm, otherwise they will rot and never come up.

**Thorburn's Extra Early Market**—qt. pk.

Best strain, extra early, prolific and well filled pods; height 2½ feet; in sealed bags.....20c \$1 15

**Rural New Yorker**—Early and uniform in ripening; height 2½ feet.....20c 1 00

**Alaska**—The best early green seeded pea; dark green pods; a good shipper; first-class in every respect; height 2½ feet.....25c 1 25

**DWARF EXTRA EARLY**

\***American Wonder**—Vigorous, productive; most desirable early pea for private gardens; height 12 inches.....30c 1 50

\***Nott's Excelsior**—Pods one-third longer than American Wonder; height 12 inches.....30c 1 50

**Sutton's Excelsior**—Produces broad pods filled with large peas; of finest flavor; in greatest abundance, height 12 inches.....30c 1 75

\***Prize Winner**—Productive and of very good quality; height 12 inches.....30c 1 75

**SECOND EARLY AND MEDIUM**

\***Horsford's Market Garden**—A favorite for market gardeners and home use; pods are large and well filled; height 2½ feet.....25c 1 25

\***Everbearing**—Peas large, fine for family use; plant thin; height 2½ feet.....25c 1 25

\***Gradus, or Prosperity Pea**—(See page 5).....35c 1 75

**Daisy, or Dwarf Telephone**—Productive, large peas and pods; height 1½ feet.....30c 2 00

**General and Late Crop Varieties**

**Dwarf Champion**—(See Page 5)  
Height 3 feet.....25c 1 50

\***Telephone**—Gardeners prefer this pea to any other on account of its sterling qualities, producing an abundance of large pods filled with enormous tender peas; height 4 feet.....30c 1 75

\***Stratagem**—Large pods and a heavy cropper for market and private gardens; height 2 feet.....30c 1 50

**Pride of the Market**—Very large, green pods; a most excellent market pea; height 2 feet.....30c 1 50

**White Marrowfat**—An old standard sort; height 4 feet.....20c 85


**Blackeyed Marrowfat**—Height 3½ feet.....20c 90

**Melting Sugar Pea**—One of the best edible pod sorts; height 4 feet.....40c

**ASPARAGUS—Spargel**

(Eight ounces to 100 yards of row)

**CULTURE**—Sow the seed thinly in rows one foot apart in April or May and keep down all weeds. To secure strong, healthy plants, thin out the seedlings to three or four



Palmetto Asparagus

inches in the rows, saving only the strongest. The one-year-old plants should be set out in spring in a rich, sandy loam dug eighteen inches deep, into which has been worked plenty of well rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sift coal ashes to loosen it up and see that it is well underdrained. In planting for private use, set out in beds five feet wide, three rows in a bed, the outer being each one foot from the edge, and allow twelve inches in the row. Set the plants on little mounds in order to allow the rootlets to fall naturally around the sides, so they are about six inches below the surface. Select a southern exposure if possible. If set out in autumn, topdress with six inches of manure. For market on a large scale set out 4 by 1 foot.

Every fall a good dressing of coarse manure should be applied after the tops have been cut, and in the spring forked in. Never cut too closely. The roots need the benefit of some foliage during the year, or they will weaken and die. A slight dressing of salt in spring is beneficial and keeps weeds down.

	oz.	lb.
<b>Colossal</b> —The most approved standard sort.....	10c	50c
<b>Palmetto</b> —Very desirable bright green.....	10c	75c
<b>Columbian Mammoth White</b> .....	10c	75c
<b>Barr's Mammoth</b> .....	10c	75c
<b>Asparagus Roots</b> —Two years old, per 100, 75c; per 1000.....		\$5.00

**BEETS—Rothé Rüben**(Five ounces seed to 100 yards of row) **Paper, 5c.**

Turnip Beets

the weeds. Wood ashes help to produce dark color.

Sow in April for early, for a succession until last of June; about middle of May for general crop. The soil should be deep, rich light loam, dry rather than moist. Rows should be 18 inches apart, and the plants thinned out to 8 inches in the rows. If you want to raise sweet and tender beets, stir the soil often and kill



Eclipse Beet

✓ <b>Crosby's Imp'd</b> .....	oz.	lb.
✓ <b>Egyptian</b> —(see page 4).....	10c	60c
✓ <b>Columbian—New</b> .....	10c	60c
✓ <b>Eclipse Turnip</b> —Early, dark, blood red.....	10c	60c
✓ <b>Egyptian Turnip</b> —Best for early forcing.....	10c	55c
✓ <b>Edmand's Blood Turnip</b> —Best strain, fine shape, dark flesh and best for general crop.....	10c	55c
✓ <b>Detroit</b> —Dark red (see page 4).....	10c	55c

**Mangel-Wurzel—Runkelrüben**

(Six pounds to an acre.)

**CULTURE**—As all mangels require a deep soil in order to grow well, **Plow and Subsoil** if possible in autumn, at least a foot to eighteen inches, and apply plenty of rich



manure. The attention of farmers to the growing of roots for feeding stock has increased rapidly, judging from the increased sales of our selected seeds. The wonderful results are plainly shown in the health and general condition of the animals and the increased yield of milk in cows.

	oz.	lb.
<b>Golden Tankard Beet</b> .....	5c	35c
The seed should be sown in April and May in drills two feet apart and afterwards thinned out to stand one foot apart in the rows. Keep well cultivated and you will have an abundant crop of roots for winter use. Through the winter keep them from freezing. If convenient, two sowings should be made.		
✓ <b>Mammoth Mangel, or Norbiton Red</b> .....	5c	35c
✓ <b>Golden Tankard</b> —Superior for dairy and stock feeding.....	5c	35c
✓ <b>Giant Feeding Sugar</b> —This variety is quite an improvement on the above sorts; richer in sugar, better form, more prolific, and feeders pronounce it the most satisfactory feeding beet.....	5c	40c
✓ <b>Swiss Chard</b> —The stalks and leaves are edible like spinach and asparagus.....	5c	60c

**SUGAR BEETS**

✓ <b>Improved Klein Wanzleben</b> .....	lb.	40c
✓ <b>Improved Vilmorin</b> .....	"	40c
✓ <b>White Imperial</b> —Best for poor soil.....	"	40c
✓ <b>Danish Improved</b> .....	"	40c



**CABBAGE—Kraut, Kopffraut**

(Sow half an ounce in hot bed 6 by 4 feet).

Package, 5c



Jersey Wakefield Cabbage.

Sow early sorts in hot beds during February and March, and transplant middle of April. Sow later crop in April and May. They should be sown in shallow drills, four to six inches apart. When the plants are six inches high, transplant into *richly* manured ground, the early kinds two feet apart and later kinds three feet. The ground must be deeply loosened and worked thoroughly to grow large and good heads. Hoe often to kill weeds, and draw some earth upon the stems. If troubled by the cabbage flea sprinkle the plants with Slug Shot, soot, wood ashes, lime or Scotch snuff. Either of the above will drive them away. One ounce of saltpetre, dissolved in twelve quarts of water, will destroy the green worm. Set plants deep in the ground. Use sprayer. See page 3.

Our Cabbage Seed is of the best Long Island strains. There is no better stock grown, and should not be confounded with cheap, imported stock, which we do not keep.

	oz.	¼lb.
✓ Extra Early Spring—Small, flat, solid head	30c	
✓ Early Jersey Wakefield—Finest American, select stock, grown almost to the exclusion of all others by market gardeners	25c	75c
✓ Charleston Wakefield—Very large and finest strain of the above	25c	85c
✓ Early Winningstadt	20c	50c



Stein's Early Flat Dutch Cabbage.

✓ Stein's Early Flat Dutch—	oz.	¼lb.
(See page 4)	25c	\$0 75
✓ Fottler's Improved Brunswick	20c	65
✓ Improved Early Summer, or Excelsior—The finest best second early	25c	75
✓ Selected All Seasons, or Succession Cabbage—One of the best second early or late, growing to a large size quickly and sure to head	25c	75
✓ Surehead—Fine quality, large head	25c	75
<b>LATE</b>		
✓ Thorburn's Colossal—(See p. 4)	30c	1 00
✓ St. Louis Market—A fine late sort (See page 4)	25c	75
✓ Autumn King, or Worldbeater	25c	75
✓ Large Flat Dutch—American	20c	65
✓ Large Flat Drumhead—American	20c	65
✓ Danish Ball-Head—(See page 4)	25c	75
✓ Improved Drumhead Savoy	30c	
✓ Improved Red Zenith Head	30c	

**CAULIFLOWER—Blumentohl**

Gilt Edge Cauliflower

**CULTURE**—This is the same as for cabbage, except that extra manure and plenty of water will pay upon this. If the soil be dry, water frequently; and if the plant could have a heavy mulch of hay or straw, it would keep the soil moist, and the plants would not suffer from drouth. The early kinds should be strong enough to plant out not later than the middle of April; the late kind may be planted out the same time as for cabbage. To destroy the cauliflower maggot, it is recommended to take one ounce of sulphuret of potassium and dissolve in one gallon of water. Heat the liquid to about 100 degrees, take a large spoon or something that will hold a 100th part of a gallon, and pour the liquid against the stalk of the plant just above the ground.

	pkg.	¼oz.
✓ Henderson's Early Snow Ball—One of the best for forcing or open ground; sure header	20c	75c
✓ Thorburn's Gilt Edge—Large, heavy sort; undoubtedly the best and surest of all sorts now in cultivation	20c	75c

☞ The above two kinds are the best and most successful for this climate.

**SLUG SHOT is sure death to Green Worm on Cabbage and Cauliflower.**

USE THE LIGHTNING POWDER GUN.



**CARROTS.—Möhren.** *Package 5c.*

Carrots.

Sow as early as the ground can be worked, or, for late crops, until latter part of July. For main crop sow from the middle of May to the first of July. Thin out early crop to five inches in the row, main crop six to seven inches apart. Hoe often and deeply between rows. Soil light, sandy loam, richly manured and deeply dug, and a good supply of wood ashes. Sow at the rate of two pounds to the acre. *Deep culture secures quick growth and clean root, while otherwise the roots become wormy and ill-shaped.*

- ✓ **Guerande or Oxheart**—Half long oz. ¼lb  
stumprooted; orange color and  
of excellent flavor when young...10c 25c
- ✓ **Early Scarlet Horn**—Very thick roots, 10c 25c
- ✓ **Chanteney**—Half long, stumproot-  
ed; fine for garden and field...10c 25c
- ✓ **Half-Long, Stump Rooted, Nantes**  
**Strain**—A popular market sort...10c 25c
- ✓ **Half-Long Danvers**—Thick, of good  
quality, exceedingly productive...10c 25c
- ✓ **Intermediate**—Pointed, fine flavor...10c 25c
- ✓ **Long Orange**—For late planting  
and best for stock...10c 25c

**CELERY.—Sellerie.** *Package 5c*  
(One ounce to one hundred feet of row.)

Golden Heart Celery.

Sow seeds in hot-bed or in a box in the house, or in open ground as soon as can be worked. If seeds are sown in bed care should be taken to keep the surface moist so that the ground does not bake, otherwise the seed will not come up.

When the plants are two to four inches high make trenches a foot deep and four to five feet apart.

Enrich thoroughly the bottom of the trenches and transplant to six or eight inches in the rows, and as the plants grow haul fine earth up about them to

blanch their stems. Care should be taken not to let the earth get into the heart of the plant. Never trench while wet from dew or other causes, otherwise it has a tendency to rot and rust badly. Our Celery Seeds are all of American growth.

**White Plume**—Best early; very ex-oz. 1b.  
tensively grown...20c \$2 00

**Golden Self-Blanching**—A fine  
golden yellow solid variety...40c

**Schumacher**—Large size and highly  
recommended...30c

**Fin de Siecle**—A good keeper and  
of superior quality...30c


**Giant Golden Heart**—A vigorous  
grower; best for market gardener...20c 1 75

**Giant Pascal**—Larger and later than  
the above and very popular...20c 1 60

**Winter Queen**—It is undoubtedly  
the best late keeper; solid and  
crisp; blanches well...20c 2 00

**Cremona**—Similar to above...20c 2 00

**Celerac or Turnip Rooted Celery**—  
Very large and superior quality...25c

**CUCUMBERS.—Gurfen.** *Pack-  
age, 5c.*  
(One pound per acre for pickles.)

White Spine Cucumber.

In February and March plant seeds in hot-beds and when night frosts are gone, plant out in rich and newly dug ground in hills and ridges, from four to five feet apart. Stop the leading shoots continually as the fruit shows; or plant the seed in open ground as soon as the weather becomes settled and warm. Use a shovelful of warm manure to each hill, and cover

with an inch or two of earth; scatter eight or ten seeds in a hill, cover half an inch and press it down. Hoe often, and when out of danger from insects, thin the plants to four in a hill. For pickles plant from June to July. To destroy all insects use KEROSENE EMULSION. (See page 3.)

**Early White Spine**—Best for early oz. 1b.  
market and also good for pickles...10c \$ 75

**Chicago or Westerfield**—One of the  
best pickling varieties...10c 75

**Long Green Giant Perra**—Best for  
table use. An old standard sort...10c 1 00

**The New Cumberland**—Best pick-  
ling cucumber known...10c 1 00

**Early Cluster**—Fruit small, early  
and prolific...10c 75

**Nichols' Medium Green**—One of the  
best for pickling, dark green, very  
productive, uniform small size...10c 75

**New Century**—A fine strain of spine,  
solid meat, dark green color and  
grows from eight to ten inches in  
length. None better for slicing...10c 75



**CORN SALAD.**—*Feld-Salat.**Package 5c.*

Sow during August, early September, or early spring, in drills, a quarter of an inch deep and six inches apart. If dry weather, tread in the seed slightly. Keep down the weeds with hoe. Just before winter sets in, cover thinly with clean straw.

**Corn Salad**.....oz., 10c; lb., 75c

**CRESS.**—*Gartenkresse.*

Sow in drills six inches apart; cover very slightly.

**Fine Double Curled**—Desirable for salad, and garnishing.....oz. 15c

**EGG PLANT.**—*Eierpflanze.**Package 5c*

New York Improved Egg Plant.

**CULTURE**—Sow in *well heated* hot-beds, very early in spring, and transplant when two inches high into a second bed or into small pots. If this is not done, thin to four inches apart. Do not plant out until the weather becomes perfectly settled and warm.

Cool nights or wet weather will check them. Keep some back in frames for second planting, in case of weather changing unexpectedly. Keep plants watered for a few days, if the sun is hot when put out. Set out plants three feet by two.

**Improved New York Purple**—The best; large, oval in shape and of deep purple color; grown very much more extensively than any other sort; both for private use and market.....oz. 40c

**New Black Beauty**—As large as above and ten days earlier; very rich and purplish black color.....oz. 40c

**ENDIVE.**—*Bindsalat.* *Package 5c.*

From May to July sow thin and cover slightly. When up, thin out to eight inches apart, and give a good watering afterwards when dry. When leaves are eight inches long, blanch them by gathering the leaves in the hand and tying them together near the top with yarn or bast; this must be done when quite dry or they will rot. Excluding light will blanch them.

**Green Curled**—Very hardy, best adapted for winter use.....15c 40c

**White Curled**—A splendid early sort.....15c 40c

**New Self-Blanching**.....20c

**De Ruffec**—Large, green curled, broad ribs, fine for fall and winter, the best and most exquisite extant.....15c 40c

**KALE, or BORECOLE.**

Curled Scotch Kale.

**Kraus-oder Blätterfohl.***Package 5c.*

(Sow one ounce to 100 feet in the row, and four pounds to the acre).

Requires the same treatment as the cabbage. It gets most delicious after being touched by frost.

oz. ¼lb.

**Improved Siberian, or**

**Dwarf German Greens**—Best and hardiest; for fall sowing; beautifully curled and crimped; cover with straw; per lb., 65c.....10c 20c

**Dwarf Green Scotch Curled**—This sort is still more curled, but not as hardy as the Siberian; per lb., 85c.....10c 25c

**Emerald Island**—New half long variety; fine.....20c 40c

**Tall Green Scotch Curled**.....15c 40c

**Brown Dutch**.....15c 40c

**KOHL-RABI.**—*Kohl-rabi.**Package 5c.*

Vienna Kohl-Rabi.

(One ounce to 100 feet in row).

May be sown from April to July, and the plants afterwards treated the same as cabbage, only be careful not to hoe too much soil around the stem. Plant out in rows ten inches apart.

oz. ¼lb.

**Early Vienna—**

Flesh white and tender.....25c 75c

**LEEK.**—*Poree,lauch.* *Package 5c.*

(Two ounces to 100 feet in the row.)

Sow very early in the spring, in drills six inches apart and one inch deep; thin out to one inch apart. When seven inches high, plant out in rows eight inches apart and as deep as possible, so as not to cover the young center leaves. Water thoroughly, if dry weather when planted out; draw earth up to them as they grow; requires very rich soil.

**Large Rouen**—A very large growing sort.....oz. 20c

**Large Musselburg**—For winter use.....oz. 20c

**MUSTARD.**—*Senf.* *Package 5c.*

Sow thickly during April and early May in shallow drills.

**White English**.....oz. 1b. 5c 50c

**Black**.....5c 40c

**Giant Southern Curled**.....10c 60c



**LETTUCE—Salat***Per Paper, 5c*

Curled Lettuce.

Sow in frames in February and March and in the open ground as soon as the ground can be worked, and thin out or transplant in rows nine inches to a foot apart. Sow every three weeks in succession during spring and summer. In September and October sow the winter varieties in hot-beds. Lettuce requires good ground and moisture in abundance; hoe carefully and keep weeds down. Often lettuce under glass is affected by green flies—three or four applications of Aphis Punk smoke will kill them, especially if the plants are not too large. If under glass, sow some tobacco dust with the seed.

- |  | oz. | ¼ lb. |
|--|-----|-------|
| <b>New Boston</b> —Especially adapted for greenhouse culture and valuable for market gardeners.....  | 15c | 40c   |
| <b>Glass House</b> —A head lettuce for forcing under glass.....  | 20c | 50c   |
| <b>May King</b> —New, extra large, round, solid head, light green outside, with clear, yellow heart, of fine flavor and splendid forcer.....   | 20c | 50c   |
| <b>Golden Stone</b> —One of the best head lettuce for forcing.....   | 10c | 30c   |
| <b>Wonderful</b> —Large white head, resembling cabbage, very solid, crisp, rich and tender.....  | 25c |       |
| <b>Thorburn's Maximum</b> —The largest, solid and crisp. (See p. 5).....   | 20c | 50c   |
| <b>Market Gardeners' Private Stock</b> —A selected strain, solid, large heads; resisting the sun for a long time before shooting up; good for early or late.....   | 15c | 50c   |
| <b>Hanson</b> —A standard, heads very large, solid, tender and crisp.....  | 10c | 30c   |
| <b>Simpson</b> —Black seed; form large loose leaves, the very best for forcing under glass.....  | 10c | 30c   |
| <b>Simpson</b> —White seed, for forcing and outdoors.....  | 10c | 30c   |
| <b>Grand Rapids</b> —This grand forcing variety stands more neglect in the way of watering and ventilation than the black-seeded Simpson. It is of handsome appearance, a strong grower, and not apt to rot, and will keep from wilting longer while exposed for sale than any other. Its upright habit admits of very close planting..... | 10c | 30c   |
| <b>Trianon</b> —Finest of all Cos; stands the warm weather well. Do not fail to try it.....  | 15c | 50c   |

**MELONS—WATER** *Package 5c*

Kolb's Gem Water Melon

**CULTURE**—Form large and well-drained hills of rich earth, avoiding the use of fresh manure in such a way as to cause the plant to dry out under the hot sun. On this hill plant the seed as soon as the ground is warm and dry, and carefully protect the young plants from insects, and hasten their growth by the use of liquid manure,

- |  | oz. | lb. |
|--|-----|-----|
| <b>Phinney's Early</b> —Very early, flesh deep red and of superior quality.....  | 10c | 50c |
| <b>Mountain Sweet</b> —Oblong, dark-green, flesh red and solid.....  | 10c | 50c |
| <b>Kolb's Gem</b> —Largest, most productive and best shipping melon in cultivation.....  | 10c | 50c |
| <b>Gipsy, or Rattlesnake</b> —Oblong, striped, flesh scarlet and of good quality.....  | 10c | 50c |
| <b>Peerless, or Ice Cream</b> —The best for private garden.....  | 10c | 50c |
| <b>Iceberg, or Blue Gem</b> —Similar in shape to Kolb's Gem; color dark green, bright red flesh; very sweet, fine shipper.....   | 10c | 50c |
| <b>Monte Christo, or Kleckley's Sweet</b> —Prince of all melons. (See page 5).....   | 15c | 65c |
| <b>Dixie</b> —Choice, very large, solid red flesh and early.....   | 10c | 50c |
| <b>Florida Favorite</b> —Improved Rattlesnake, superior strain.....  | 10c | 50c |
| <b>Cuban Queen</b> —Early, solid and heavy skin, marked regularly and excellent quality.....   | 10c | 50c |
| <b>Jones' Jumbo</b> —Large, good shipper, medium early.....  | 10c | 50c |
| <b>Sweet Heart</b> —Very large, light green skin, fine quality. (See page 5).....  | 10c | 50c |
| <b>Black Diamond</b> —A cross between Kolb's Gem and Hoosier King. Its prominent point of merit is its extreme size and productiveness. Melons weighing from 75 to 90 lbs. are frequent. Form somewhat oval; skin dark green, almost black. Quality equal to Sweetheart..... |     | 50c |

*Special Prices in Large Quantities*

**SLUG SHOT** and spraying with **KEROSENE EMULSION** destroys Bugs and Lice on Cucumbers, Melons and Squash with certainty. When spraying with Dry Powder, use Powder Bellows.



**MELONS—Musk—Zuckermelonen.**

(One ounce to seventy hills; two pounds for an acre.)

**Package, 5c**

Long Island Beauty.

Plant late in the spring, in hills five feet apart: ten seeds in a hill; and thin out to four plants in the hill; draw soil up around the stems and top their points to make them branch when they begin to run. A warm, light, but rich, sandy soil suits them best. Dust a little soot or recently burned wood ashes on the plants when up.

**Admiral Togo**—Of rich, orange flesh, an ideal table melon, per paper .....10c

**Burrell New Gem**—Of most delicious flavor, meat rich, golden; per paper .....10c

**Defender**—(See page 5) .....10c 30c

**Rocky Ford**—(See page 5) .....10c 30c

**Paul Rose**—(See page 5) .....10c 30c

**Tip Top**—(See page 5) .....15c 40c

**Osage Gem**—(See page 5) .....15c 40c

**Long Island Beauty**—The earliest, finest in quality, green flesh .....10c 40c

**Hackensack**—Extra Early, large round, green flesh, productive and of good quality .....10c 30c

**Chicago Market Nutmeg**—Large round, green flesh and fine quality .....10c 30c

**Emerald Gem**—Small, extra early, smooth ribbed, dark green skin, orange flesh, quality first-class .....10c 30c

**Improved Christiana**—Round, flesh dark rich yellow, very thick, and of delicious flavor .....15c 40c

**Osage**—Light green skin, coconut shaped, salmon flesh, very fine .....15c 40c

**Montreal**—Large, round, netted, flesh white and light green .....10c 30c

**Banana**—Long, slender, salmon flesh and good quality .....15c

**Mushroom Spawn**

Is easy of culture and satisfactory in results. Send for planting directions. Per brick, 30c, postpaid; 10 lbs. for \$1.25, per express, not prepaid.

**PARSNIPS—Pastinaten**(Five or six pounds to the acre.) **Package, 5c**

Sow during spring in drills one inch deep, and when three inches high, thin out from six to eight inches apart in the row; hoe often; soil should be rich and deep. May be left in the ground over winter and dug in the spring, as required. Even fresh seed is sometimes hard to germinate. Have soil well firmed after sowing.

**Abbott's**—Of excellent quality, oz. lb. smooth and quite large .....10c 65c

**Long Sugar**—Standard variety .....10c 65c

**Hollow Crown**—Best for general use .....10c 65c



Ruby King Pepper

**PEPPER—Pfeffer****Package, 5c**

Sow in hot-beds in March, or in open ground in a seed-bed the latter part of April, in light, warm ground; when three inches high, transplant to eighteen inches apart each way; hoe frequently. Seed is slow to germinate, and requires a good, warm hot-bed.

oz.

**New Chinese Giant**  
The largest, sweetest of all peppers (See page 5) .....50c

**Mountain Sweet**—Large, mild flavor, used for pickling .....25c

**Ruby King**—Mild and one of the best, 4 to 6 inches long and 3 to 4 inches thick .....25c

**Large Bell, or Bull Nose**—An early variety; rind thick and fleshy .....25c

**Giant Emperor**—Scarlet, large and thick .....25c

**Golden Dawn**—Yellow, mild flavor, fine for stuffing .....25c

**Cayenne**—The variety of commerce, long, narrow pods; pungent .....25c

**Coral Gem**—A wonderful productive and handsome pepper; it is covered with small, bright, coral red fruits, which are splendid for seasoning .....25c

**Celestial**—A Chinese pepper; at first fruit is yellow, and after fully matured becomes a deep scarlet, especially fine for Christmas decoration .....25c

**OKRA—Gombo****Package, 5c**

Sow late in spring after the ground has become warm, in drills three feet apart, in rich manured land. Thin out from six to nine inches.

oz. lb.

**Dwarf White**—Early and productive .....10c 75c

**New White Density**—Very tender; long pods .....10c 75c

**PARSLEY—Peterfilie****Package, 5c**

Moss Curled Parsley

Soak the seed a few hours in warm water. Sow in spring in drills one foot apart. To preserve in winter, transplant in a light cellar or cold frame.

**Moss Curled**—Fine for garnishing .....10c 30c

**Hamburg, or Turnip Rooted**—The roots used for flavoring soup .....10c 35c

**Plain Parsley** .....10c 20c



## ONIONS—Zwiebeln

Package, 5c.

(Two ounces to 100 feet of row: four pounds to the acre.)



Land of a sandy loam, with a light mixture of clay, is easy to work and produces good crops; particularly if it has been worked two years previously in hoed crops and kept free from weeds. Have the land heavily manured and plowed the fall previous. In the spring, as early as the ground can be worked, give it a thorough dragging, after which rake the entire place with steel hand rakes. Stretch the lines perfectly straight in marking rows and sow your seed.

Procure good seed no matter what its cost is, for without it all your labor will be lost. It requires three to four pounds of seed to the acre. If large onions are wanted, sow thin.

After the seed is up it is of great importance to keep the weeds down; if that is not done at an early stage, when weeds appear, the crop will surely be a failure.



ONION SETS

Red Bottom Onion Sets, raised from seed.  
 Yellow Bottom Onion Sets, raised from seed.  
 White Bottom Onion Sets, raised from seed.  
 Red Top Onions.  
 Shallots.  
 Garlic.

Prices on application.

All Our Onion Seed is of Last Year's Growth  
 and Should Not be Confounded With  
 Cheap and Old Seed.

	oz.	¾ lb.	1 lb.
<b>Silver King</b> —(See page 5).....	25c	80c	\$3 00
<b>Large White Portugal</b> —Mild and delicate flavor, flat.....	20c	75c	2 75
<b>Large White Globe</b> —Southport strain.....			
<b>Excelsior White Pickling</b> — Best for pickling.....	20c	60c	2 25
<b>White Silver Skin</b> .....	20c	75c	2 75
<b>Large Red Wethersfield</b> —A good keeper.....	15c	55c	2 00
<b>Large Red Globe</b> —Southport strain, a good keeper.....	20c	65c	2 50
<b>Yellow Danvers</b> —Standard sort, a good keeper; oval.....	15c	55c	2 00
<b>Large Yellow Globe</b> —South- port; extra fine strain.....	20c	60c	2 25
<b>Yellow Globe Spanish, or Prize Taker</b> —(See page 5).....	20c	75c	2 75
<b>Australian</b> —Brown (See p. 5).....	15c	50c	1 50

## Special Prices on large quantities.


The sowing and growing of this valuable and remunerative crop used to be an extremely tedious and laborious business, but since the introduction of the Hand Drills and Cultivators—of which we have the latest and most improved patterns—it is comparatively easy to raise a large crop at a moderate expense.



## New Method of Raising Early Onions.

Of late eastern onion growers employed a new way of raising large crops of onions with success. This mode is to sow the seed carefully, from March 1st to 15th, in warm beds, in drills one inch deep and three inches between the rows. In about four weeks the plants will be about the size of a lead pencil and ready to be set out in well prepared soil, in straight lines from three to four inches apart and twelve inches between the rows. Have the tops and roots somewhat shortened by cutting so you get a stiff plant. In this way plants are easier to handle and stand more erect in the row.





POTATO

## POTATO—Kartoffel

**CULTURE**—In order to have the best success in growing potatoes, and to secure a healthy, vigorous growth, and a crop free from rot, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows three feet apart, and the sets one foot in the rows. To kill the young weeds, run a light steel-tooth harrow over the field lengthwise of the rows. This will allow the crop to get the start of the weeds, besides breaking up all lumps and leveling the ground ready for the cultivator. If wood ashes and plaster can be procured, sow a good dressing over the field after the potatoes are up. If a *very early* crop is desired, it will be necessary to *sprout* the potatoes before planting. Cut the potatoes into pieces of any size desirable, and place in a warm, light room, from four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hot-bed two weeks before they are wanted, and then lift carefully and set out on fresh horse dung, so that the heat will cause them to start at once. If the Colorado potato beetle makes its appearance, the vines must be dusted with Slug Shot, or dissolve a tablespoon full of Paris Green in a pail of water and apply same with a force pump or sprayer.

### Directions for Treating Potatoes to Prevent Scab.

Dissolve corrosive sublimate (bichloride of mercury) in water at the rate of one ounce to eight gallons of water (1 to 5000), and soak the seed potatoes from sixty to ninety minutes. Dry them before cutting.

**New Noroton Beauty**—The most valuable potato ever introduced. See page 4.

**The New Bliss Triumph**—This variety is quite popular; tubers of moderate size; color beautiful red. One of the best sorts for early market. Some growers claim that they are the earliest of all.

**The Twentieth Century**—The most blight resisting sort; growing after all other sorts are dead. It is the best white variety for main and late crop.

**Red River Early Ohio**—This earliest of all varieties justly belongs at the head of the list; because no other variety will mature as early. Some very good early sorts will give eatable size potatoes about as early, but their tops will be green for days after Early Ohios have died. It is the most profitable early market variety.

**Everett's Six Weeks**—If planted early they grow so rapidly and mature so early that potato bugs have no chance at all, the crop being made before the young bugs become numerous.

**Irish Cobbler**—(Vermont Stock)—White netted, early, splendid quality. Eyes strong and well developed; flesh cream white, of excellent quality. Ripens one week later than Ohio. Especially suited for dry climates on account of its deep roots. It is fast becoming the most popular of the early varieties.

**Rural New Yorker No. 2**—Very few and shallow eyes; pure white skin and flesh; immense yielder; fine table quality.

**Carmen No. 3**—One of the best late potatoes; the greatest yielder ever introduced; very large tubers; of handsome form; few and shallow eyes.

And many other good sorts at market prices

## SWEET POTATOES.

Of which we make a SPECIALTY and are supplying a large territory with the most popular varieties.

## PUMPKIN—Feld Kürbis

**Kentucky Field**—Large, round sal- 1b.  
mon colored, especially for stock  
feeding; hardy and prolific.....\$0 25

**Crook Neck**—Flesh solid and thick;  
fine grained, excellent for pies and  
does well planted among corn ..... 50

**Japanese Pie**—Similar to the Cushaw,  
fruit matures early; meaty and of  
first quality; seed is curiously marked 75

**Small Sugar**—A small, sweet, delicious  
variety, of deep orange color. Prized  
highly for making pies.



**RADISH—Rettig**

Package, 5c

(Six pounds to an acre).



Sow in a sheltered spot as early as the ground can be worked, and every two weeks until summer; then commence planting the summer varieties. The winter sorts should be sown in August. A light, rich soil suits best. It should be borne in mind that Radishes must have plenty of room, otherwise they will be tough and wormy. Slight sprinkling of salt is beneficial.

	oz.	lb.
<b>New White Icicle</b> —(See page 5) .....	10c	\$0 75
<b>New Crimson Giant Forcing</b> —(See page 5) .....	10c	1 00
<b>Early Scarlet Turnip</b> —French .....	10c	65
<b>French Forcing Deep Scarlet</b> —Crisp and beautiful; matures in 25 days .....	10c	75
<b>French White Tail</b> .....	10c	65
<b>Scarlet Gem White Tip</b> —(New) Forcing; matures in about 25 days .....	10c	75
<b>Early White Turnip or Box</b> —French pure white and sweet .....	10c	65
<b>Deep Scarlet Turnip</b> —French, for forcing; and best for open ground .....	10c	75
<b>Yellow or Golden Summer Turnip</b> —Popular as a market gardener's sort .....	10c	65
<b>New Round Scarlet China</b> —(See p. 5) .....	15c	1 00
<b>Early French Breakfast</b> .....	10c	65
<b>Half-Long Deep Scarlet</b> .....	10c	75
<b>Early Long Scarlet</b> —Short top; the standard variety .....	10c	65
<b>Wood's Early Frame</b> —Half long; red .....	10c	65
<b>Delicacy</b> —White, half long .....	10c	75
<b>White Strassburg Summer</b> —Half long .....	10c	65
<b>Chartier</b> —Long scarlet, white tipped .....	10c	65
<b>White Stuttgart</b> —Large, round, white sort .....	10c	75
<i>All above varieties are best suited for Market Gardeners</i>		
<b>China Rose</b> —For fall and winter .....	10c	1 00
<b>Black Spanish</b> —For winter .....	10c	1 00
<b>California Mammoth</b> .....	10c	1 00

**SALSIFY—Haferwurz**

Package, 5c

Sow early in spring in drills, one foot apart, one inch deep, and thin out to four inches in the row; keep clean and cultivate the same as parsnips. To leave them in the ground during the winter will not injure them.

	oz.	½ lb.
<b>Salsify, or Oyster Plant</b> —French .....	15c	40c
<b>Mammoth Sandwich Island</b> —A large and a much more superior variety than the above .....	20c	50c
<b>New Thorburn Improved</b> —Thick rooted .....	25c	75c

**RHUBARB, or PIEPLANT**

Linneus ..... oz., 15c

In order to save time and labor, we would advise to plant the roots, of which we have a good supply at reasonable prices, every spring.

**SPINACH—Spinat**

Package, 5c

(Twelve pounds to an acre).



Sow half an inch deep and a foot between the rows; thin out to eight inches; as soon as frost is out of ground hoe frequently to prevent the plants from running to seed. For winter crop, sow latter part of August or September. Lay straw between the rows at approach of winter, and very thinly over the leaves.

	oz.	lb.
<b>Round Leaf</b> —Generally preferred for spring sowing .....	5c	20c
<b>Prickly</b> —This is one of the hardiest varieties .....	5c	20c
<b>Bloomsdale, Savoy-Leaved</b> —A productive variety, quite hardy .....	5c	20c
<b>Long Standing</b> —The longest standing before running to seed, and consequently one of the best varieties .....	5c	20c
<b>Victoria</b> —Fine variety for spring sowing .....	5c	20c

**SQUASH—Speisefürbisse**

Plant in hills in the same manner and at the same time as melons, the bush four feet and the running kind six to eight feet apart.

Squash cannot be planted with any degree of safety in the middle or northern states before the middle of May, as they are extremely tender and highly sensitive to the action of bad weather.

	oz.	lb.
<b>White Bush, or Scallop Summer</b> .....	10c	75c
<b>Improved Large Summer Crookneck</b> .....	10c	75c
<b>Boston Marrow</b> —Oval, bright orange; flesh yellow and fine .....	10c	75c
<b>Ford Hook Summer Squash</b> —About one week later than the White Bush. It is of excellent flavor and much liked .....	10c	75c
<b>Hubbard</b> —A general favorite for late use, and of superior quality .....	10c	75c
<b>Sibley's, or Pike's Peak</b> —One of the finest winter varieties; thick, bright orange flesh .....	10c	75c
<b>Ford Hook</b> —Excellent keeper through the winter, of finest quality and good for all purposes .....	10c	1 00



**TOMATO—Eibesäpfel**

(One-half ounce in hot-bed 6x4 feet).



Buckeye State.

Our Tomato Seeds are unequalled for their purity and fine quality, are saved from choice, selected fruit.

Sow in hot-beds in February and March and transplant in open ground when the weather becomes warm and settled, or sow in open ground in May, and transplant when plants are six inches high, four feet distant from each other; soil should be made light and rich. By transplanting plants into pots fruit may be had several weeks earlier, and pinching off the small tips will hasten the ripening considerably. The plants, before setting out, ought to be hardened until the stalk gets to be red. Should the plants be long and slim, put them in slanting. Old manure should be used in the soil.

<b>New June Pink</b> .....	40c
<b>Sparks's Earliana</b> —Claimed by the introducer to be the earliest large tomato in the world. Color bright red. The seed we offer is grown from the original stock.....	40c
<b>New Dwarf Stone</b> —(See page 5).....	40c
<b>Dwarf Champion</b> —Distinct foliage; grows compact and upright; fruits early and is quite popular among gardeners.....	30c
<b>Chalk's Early Jewel</b> —Very fine new sort; large, solid, smooth, bright red; similar to Stone, but earlier.....	35c
<b>Buckeye State</b> —Purple, very large, solid.....	25c
<b>Acme</b> —Early, smooth, purple and one of the finest.....	25c
<b>Fresiana</b> —Very large, medium early; of fine flavor and few seeds; the foliage is of a distinctly yellowish color.....	30c
<b>Livingston's Beauty</b> —Purple; regular in form, good shipper.....	25c
<b>Livingston's Favorite</b> —Solid and large.....	25c
<b>Livingston's Perfection</b> —Smooth, productive.....	25c
<b>Honor Bright</b> —Fruit bright red, finest flavor, solid and especially good shipper.....	25c
<b>The Stone</b> —One of the best introduced for years. It is very large, perfectly smooth and of a fine, bright scarlet color.....	25c
<b>Ponderosa</b> —The largest variety in cultivation.....	50c
<b>Matchless</b> —Bright red; solid; immense yield; one of the best for canning.....	25c

**TURNIPS—Weiße Rüben**

Purple Top Milan Turnip

For early use, sow as early as the ground can be worked. Rutabaga and other kinds for winter, sow in July and August. Much larger crops are obtained, particularly of the Rutabagas, by cultivating in drill 18 inches apart. The first three named sorts are best for early spring sowing.

	oz.	lb.
<b>White Model</b> —Perfectly globular, snow white.....	10c	\$1 00
<b>Extra Early White Milan</b> —A new and valuable variety.....	15c	1 00
<b>Extra Early Purple Top Milan</b> —One of the earliest variety.....	15c	1 00
<b>Purple Top Strap-Leaf</b> —One of the best varieties for general use.....	10c	45
<b>Red Top Globe-Shaped</b> —A standard late sort for market and table.....	10c	45
<b>Improved Rutabaga</b> .. Good for table or stock; hardy and prolific.....	10c	65
<b>Snowball</b> —Small and of rapid growth.....	10c	75
<b>Rutabaga, Thorburn Family</b> —Fine grained and best quality.....	10c	65
<b>Seven-Top</b> —For greens.....	10c	75

**HERBS—Kräuter**

Herbs are available for culinary and medicinal purposes. They are easily grown, and when preserved by drying are ready for use at any season of the year. Sow in spring as soon as the weather is warm, and thin out as the plants grow up; or, the seed may be sown under the glass, and the young plants afterwards transplanted to their respective bed. The perennial kinds should occasionally be divided and transplanted in spring. Those marked with a \* are perennial, and preserved for years. As most of these seeds are small and fine they should be covered very slightly.

ANISE,	MARJORAM,*
BALM,*	MARSHMELLOW,
BASIL,	ROSEMARY,*
BORAGE,	RUE,*
CARAWAY,*	SAFFRON,
CORIANDER,	SAGE,
DILL,	SAVORY,
FENNEL,*	TANSY,*
HYSOP,	THYME,
HOREHOUND,*	LAVENDER,*

Price per paper, 5c.

TARRAGON ROOTS, each, 25c.



# Selected Farm Seeds

To our farmer friends we would particularly impress the fact that our field seeds are thoroughly cleaned by new and improved machinery. Our customers are all aware of that and always give us the preference. The know that pure and clean seeds give satisfaction to both buyer and seller.

On account of fluctuation of the market values, prices cannot be given on Grass Seeds, Clover, Grain, Etc.—Prices on Application.

## GRASS SEEDS

The best means of improving meadows, pastures and lawns is to sow a sufficient variety of grass seeds, and we trust our customers will give



Rye Grass.

some of the kinds a trial in connection with Timothy, which by many is believed to be about the only grass to be sown for hay.

**Timothy**—Decidedly the best grass for hay. Sow one peck per acre.

**Orchard Grass**—Valuable for grass and hay; grows in all dry and shady places; sow from 15 to 20 pounds per acre.

**Red Top**—A valuable permanent grass for meadows and pastures; grows in almost any soil, moist or dry; sow 10 pounds per acre, clean seed.

**Kentucky Blue Grass**—Best pasturage grass for our soil and climate. It is most valuable for lawns, yards, etc., combined with some White Clover. For pastures, sow 20 pounds, and for lawn, 50 pounds of clean seed per acre.

**English Rye Grass**—Is the staple grass of Great Britain, entering largely into the composition of many of the richest meadows and pastures. Its natural adaption to almost all cultivated soils, and its early maturity are the reasons it has hitherto been so extensively cultivated in preference to many other equal nutritious sorts.

**Italian Rye Grass**—One of the most valuable grasses in Europe, being equally suited to all climates.

**Bromus Inermis**—A perennial, recommended for dry, arid soil.

**Tall Meadow Oatgrass**—Most valuable for an early pasture grass.

## CLOVER SEED

**Clover, and in fact all Leguminous Plants, such as Cow Peas, Soja Beans, Vetch, &c., is a Blessing to Recuperate Worn-Out Land which Needs Nitrogen Furnished by the Air. If your Land is Sour Correct by Sowing Lime.**

In purchasing Clover, as well as any other Seed, always buy the best quality that is possible to procure; although the price may seem high, it is much cheaper than buying a poor quality at a low price. The low price Seeds are usually badly cleaned, of poor germination and very often contain weed seeds of other plants.

**Red Clover**—Will succeed in any soil; sow 6 to 8 pounds per acre.

**Mammoth or Sapling Clover**—Is used mostly to plow under for fertilizing; sow 6 to 8 pounds per acre.

**Alfalfa, or Lucerne Clover**—Is perennial and lasts from 8 to 10 years; the roots penetrate from 10 to 15 feet into the ground. For a permanent meadow it does best on alluvial soil. Sandy loam with a porous underground, so that water passes off rapidly, is preferable. *Hard pan and wet underground is fatal to the plant.* As a hay crop it has no equal, and the feeding value of number one Alfalfa is equal to bran at \$17.00 per ton. It should be sown here from the 15th of August to the 10th of September. Plow the ground some time previous, making a fine but not too deep seed bed. Sow from 15 to 20 pounds per acre, and run the smoothing harrow over once or twice. In spring it may be sown in April after severe frost is past, but in doing so you will have weeds to contend with, and which may smother the young, weak plants. In this case mow the weeds when they are 6 to 8 inches high and not remove them, but let them lay on the ground. A thick stand is desirable, otherwise hay will be too coarse. Cure the Alfalfa hay as you would Red Clover, and save all the leaves if possible. It may be cut three times during the season. It is claimed by many agriculturists that Alfalfa does best on a former Red Clover field on account of containing the needed bacteria.

The Alfalfa we keep in stock is of the very best and purest quality, free from obnoxious weeds, which you will find universally in cheap Seed. *Sow Alfalfa by itself.*



**Alsike, or Swedish Clover**—Perfectly hardy, does not heave in winter or spring from frost; stands drouth well, and is in many respects superior to common red clover. It affords a large return of hay; is excellent for soiling and unsurpassed for the honey bee. When the plant is once established it will remain for many years in full vigor. It is at its best in a moist situation and alluvial bottom soil. It is much liked by cattle, and well suited to land liable to wash, for the reason of its long and spreading roots holding the soil. It certainly would pay any farmer to try it. Alsike also produces a valuable and heavy crop of seed. Sow 5 to 6 pounds to the acre.

**Crimson Clover** (*Trifolium Incarnatum*)—An annual with bright scarlet flowers, largely grown in our southern states for improving the soil by turning under. It makes a very valuable crop for soiling and pasturage. Sow 20 pounds per acre in late summer or early fall.

**Sand or Hairy Winter Vetches**—(*Vicia Villosa*)—This variety thrives on poor, arid, sandy soils. It is sown either in fall or in spring, and generally mixed with rye, which serves as a support to the plants. It attracts a great deal of nitrogen from the air. Price, per pound 10c.

## NITRO CULTURE.

Professor Hopkins, of the University of Illinois, says in Bulletin No. 68: "The fertility of Illinois soils ought not, and need not, be reduced below its original productive capacity, and there is no necessity of having poor and unproductive land by using the proper fertilizers."

It is claimed that alfalfa and clover can be grown most anywhere, as well as any other leguminous plants, such as cowpeas, soja beans, vetch, etc., by using special bacteria, with which to inoculate the seed to be sown. These germs, when put in the soil, fasten themselves to the roots and form nodules, drawing the much needed free nitrogen from the air to feed the plant and soil.


Nitro Culture is no longer an experiment; it has passed this stage successfully in every state in the Union. It is considered by competent authorities to be worth millions of dollars to the farmers of this country.

This process will enable the seeds sown to make a good stand; makes the inoculated crop big and the following crop bigger. The germs, if well inoculated, will add as much nitrogen to each acre of the soil as can be had in twenty dollars worth of the best commercial fertilizer.

Bacterias differ somewhat in their composition, as for alfalfa, red clover, cow and garden peas, beans, etc., but all have the same effect, forming nodules or tubercles.

We keep the National Nitro Culture in stock, for alfalfa, red clover, alsike, cowpeas and garden beans in packages with full directions. Price per package for one acre, \$1.50; for five acres, \$5.00; and trial package for 50c. Call for pamphlet.

## MILLET.



Millet.

**German Millet**—This variety is not so early as the common Millet, but yields much larger crops. Sow 25 lbs. per acre.

**Common Millet**—Sow from May 1st to June 20th for seed, or until the last of July for hay. Sow 25 lbs. per acre.

**Hungarian**—A valuable forage plant; cultivate same as Millet. Sow 25 lbs. per acre.

**Sorghum**—Is a wonderful plant. It can be grown to provide cane for making syrup in every state of the Union. It is one of the best soiling foods we have. It furnishes fodder of an excellent quality for live stock, such as cattle, sheep and swine, when fed in autumn or winter. It is one of the best forage plants that we shall ever have.

The seed also can be turned to good account as food for all kinds of domestic animals kept upon the farm. It is principally best adapted for summer pasture; it strikes its roots deep, thus furnishing an abundance of succulent pasture at a time when it can not be obtained from any other source. After being cut off, it has the power of sprouting up again. The fattening or milk producing properties are of high order. It is sown right after corn-planting, or as late as middle of July for pasturage. It takes from 40 to 50 pounds—broad-cast—per acre; and if drilled, half that amount; for molasses, four to six pounds.

**Kaffir Corn** (Non-Sacharine)—Has an upright habit of growth, not quite as high as sorghum, hence, it is more easily handled in the sheaf. The leaves are large, long, fairly numerous, and they usually retain much of their greenness for some time after the maturing of the seed, which is in abundance. It succeeds well in ordinary corn land, and even prevailing drought does not hinder to harvest a good crop of great value for feeding and grazing. Like sorghum, it is continually sprouting up again. The seed is much liked by poultry. It takes about 20 pounds seed drilled in, which is preferable to broad-casting. *This is particularly the fodder for dry seasons.*

There is no better or more wholesome food for young pigs than Kaffir Corn when cooked.



# SEED CORN

*There is a commendable movement among farmers and agriculturists to change their seed corn; planting new, pure stock of known merit. The outlay is but a trifle more, but the crop result is manifold, as well in quantity as quality.*

*We are procuring our seed corn from a section of country best suited to produce not only a fine quality, but by means of clean culture, corn that is pure and true to name and hand picked. We are warranted to say that no better seed corn could be got, no matter what price you pay.*

As it is early in the season, we cannot quote prices now, but will do so later. The principal varieties we expect to keep in stock are

**KING OF THE EARLIEST, IMPROVED LEAMING,  
IOWA GOLD AND SILVER MINE, REID'S  
EARLY DENT, ETC.**

## Forage and Miscellaneous Seeds

**Dwarf Essex Rape**—Is beyond all question one of the most useful fodder plants that has yet been introduced into the United States, and so it is likely to continue through all time. It is easily grown and possesses remarkable fattening properties for sheep, swine and cattle. Rape requires a rich, moist, loamy soil, such that will produce good crops of turnips, cabbage, wheat and corn, will suit the rape. If the seed is sown the latter part of June it can resist the drouth, and the crop will be ready when it is most needed. It also does well when sown with oats. After the oats are cut the rape grows rapidly. It is especially adapted for a catch crop, succeeding well when for any cause other crops have failed. It is like the turnip, making its growth late in the season. It can be sown in the stubble and will make excellent pasturage in the fall. In putting in cattle or sheep precaution should be taken to prevent them eating too much and getting

bloated. After they get used to it there is no further danger. It may be sown from April to August. Any farmer may find a corner to sow some for experiment. Sow from four to six pounds per acre.

We sell the genuine imported article, at market price.

**The Cow Pea**—Is proving a blessing to the agriculturists of the United States. It is grown for forage, for enriching the soil and for winter fodder. But its greatest value lies in its power, first to grow in worn and poor soil, and second, to renovate it. This recuperating power arises first, from the ability of this plant to gather the much needed nitrogen from the air by means of nodules or tubercles on the roots, and store it in the soil; second, from the large amount of vegetable matter which it brings to the soil in its roots, and also in the vines when plowed under,



Without a doubt cow peas will produce more forage to the acre than any other plant; and for fattening sheep and hogs it has no equal. They do not touch corn as long as the pea vines last. Cow peas grow on land too poor for red clover, and are not affected so easily by heat or drouth. It makes poor land rich and good land more productive. If wanted for forage, plant in drills  $3\frac{1}{2}$  feet apart, or in corn after it is laid by; cut when forming peas and cure like clover, and if for fertilizer, one foot apart; turn under when in bloom. It is a sure cropper, much more so than clover. Have your soil well pulverized and sow from one to two bushels per acre about May 15th.

There are many kinds of cow peas: New Era, Whippoorwill, Clay, Blackeye, etc., but the first named, *New Era*, is fully two weeks earlier than the popular Whippoorwill variety; a very great advantage to the farmer. In size it is one-third smaller than the Whippoorwill—another great advantage. It is a so-called Bunch Pea, similar to the Whippoorwill in growth. In sections of Missouri and Illinois, the *New Era Pea* is planted after the wheat crop has been cut, and matures early enough in the fall to harvest in time to sow winter wheat in the same field. This cannot be said of any other variety of cow pea. They produce more seed than Whippoorwill, and where known are used exclusively. On account of their rapid growth, they cover the soil, overshadowing and outgrowing such useless plants as pursley, amaranth, etc. This is the third season we have been in position to offer inducements on this variety, which we have no hesitancy to recommend as being the coming Pea for the Central and Northern portions of the United States. Prices on application.

**Soja Beans.**—The haulm is stiff and the pods are produced in clusters. Thrives well in hot and dry weather. It is planted at the rate of one-half bushel to the acre, in drills  $2\frac{1}{2}$  to 3 feet apart and cultivated like corn. It is highly recommended for green fodder, and is an excellent soiling plant. It contains more protein and nitrogen than any other plant known. In point of nutritive value it is unequalled and makes in connection with corn, as a number of our customers state, a "balanced ration" grown upon the farm, saving the farmer from paying out cash for oil meal, bran, etc. Soja Beans should unquestionably be one of the staple crops with every farmer.

One of the farmers said: "I seed the Soja Beans in alternate rows with corn, seeded thickly for fodder late in June; cultivated both crops shallow frequently and harvested

them together. They cured very nicely put up in the shocks with corn, and I am now feeding the fodder and beans with very satisfactory results."

## GRASS MIXTURES

FOR PERMANENT PASTURES.

Our Permanent Mixture is a selection of fodder grasses, with a view of succession. Some of these mature so early and others so late that from the beginning of spring until winter sets in there is not a time when one or the other specie is not at its best, and they improve from year to year.

Sow 20 pounds to an acre early in spring. Price, \$3.00 per 20 pounds.

## MISCELLANEOUS

ADD EIGHT CENTS PER POUND IF BY MAIL

**Bird Seed**—Our mixed bird seed is put up according to the best formula for the health of the birds; selected from the cleanest and choicest seeds—Ask for prices.

**Sunflower Seed—Russian**—Superior for poultry; the plants afford shade and should be planted liberally about the house. Special price for large lots 1b. 5c

**Cotton Seed**—For medical use 20c

**Chuffas**—Or ground almonds, similar to peanuts, very sweet and toothsome, grown under ground 25c

**Peanuts**—Yield largely and are paying crops; plant latter part of April 15c

**Teosinth**—An excellent fodder plant; it somewhat resembles corn, but the leaves are much larger and the stalks contain sweeter sap; plant three pounds to an acre 65c

**Pencilaria**—It is far superior to corn fodder and yields three to four crops each season. Stock is very fond of it. One pound will plant an acre 25c

## AT MARKET PRICE

WHITE NAVY BEAN.

CALIFORNIA TREE BEAN.

FLAX SEED.

BUCKWHEAT.


BROOM CORN—Possibly no other crop is more valuable than Broom Corn.



# FORMATION OF LAWNS FROM SEED

**T**HE ground should be thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but the surface should be as much alike in quality as possible. After sowing the ground should be rolled, in order to press the seed firmly into the soil. The proper time to sow grass seed is from March 15 to April 15. Seed also may be sown in the fall providing it is done early enough to secure a good strong growth before winter sets in. The sowing should be done when the ground is moist, or before an expected rain; cover lightly with soil and a subsequent rolling or firming the ground with a roller or a heavy board is always advisable. Rolling and dragging, however, should not be done when the soil is very wet.

**ROLLING**—As soon as the frost is out of the ground in the spring, the land should be gone over with a heavy roller. Winter frosts loosen the soil, and rolling is necessary to compress it again. If grass seed is to be sown, this should be done first and the rolling immediately afterwards. Frequent rollings are recommended.



**Mowing**—All turf-forming grasses are improved, both in vigor of root-growth and in fineness of texture, by frequent mowings, but not before the grass is strong and firmly rooted. It is impossible to say just how often the grass should be mown, as that depends upon the rate at which it grows. Too close cutting should be guarded against, however, especially during the hot summer months, when the roots require some top growth to protect them from the burning sun. A good top-growth is also necessary to protect the roots from severe winter frosts. Mowing should therefore be discontinued in time to let the grass grow pretty long before the winter sets in. If watering is needed do it thoroughly.

## OUR LAWN GRASS

Contains, besides Bluegrass, a composition of the finest perennial or lasting grasses which will, in the shortest time possible, produce a beautiful, compact turf, enduring the summer heat and insure a rich, deep green sward throughout the season.

This mixture is absolutely free from obnoxious weeds, and no better can be offered by any Seed House.

**Bluegrass** sown alone *perfects* itself the second year after being sown.

Do not be sparing of seed. From 50 to 75 pounds to the acre, or one pound for 20x20 feet, is little enough. More seed is needed on poor soil than on that which is rich.

**For Shady Places.**—We have a special mixture for this purpose.

Dock, Dandelion and Plantain, natural to the soil, spring up spontaneously; are most troublesome and should be watched and exterminated on appearance.

**Sour Ground.**—Sometimes the soil of a lawn gets sour by too much shade: in this case an application of one-half lawn fertilizer and one-half lime is one of the best remedies.

## OUR SPECIAL LAWN FERTILIZER

Never fails to produce a rapid and rich green growth, and is much more preferable than barn-yard manure, which is the principal source of dock, plantain and all sorts of obnoxious weeds. In early spring sow at the rate of ten pounds to 15x20 feet. It should be applied annually. **Price, 10 pounds for 40c; 25 pounds for 75c.**





## FLOWER SEEDS

Encouraged by the many flattering testimonials from our customers, we are offering a particularly large and fine assortment of

### Choice and Reliable Flower Seeds and Bulbs

Mostly of our own importation and adapted to our climate

**NO OLD SEED OFFERED**

#### BRIEF HINTS ON SOWING AND CULTIVATING READ CAREFULLY

**T**HE GENERAL RULE for sowing flower seeds, as well as any other seeds, is to sow them at the proper depth, and the depth at which they are sown should in every instance be governed by the size of the seed itself. As the sprouts of small seeds are naturally small, if sown as deep as large seeds, they will be either unusually long in starting, or more likely perish in the ground after starting, for want of sufficient strength in the young sprouts to force a passage through the soil. Very small seeds, such as *Portulacca*, *Campanula*, *Digitalls*, etc., should be merely sprinkled over the surface of the ground, after making quite smooth with the back of a spade, and barely covered with finely sifted, light mellow soil, and afterward protected from the scorching sun and heavy rains by a cloth, mat, or some green branches stuck around it.

Another great object to be considered is the soil into which the flower seeds are to be sown. The soil best adapted for flowering plants generally is a light, friable loam, containing a sufficient amount of sand to render it porous. Deep digging and enriching with thoroughly decayed manure is the least that should be done. If the weather, after sowing, should be dry, it will be necessary to water the places where the seeds are sown with a fine watering pot, regularly but slightly every evening, as it is essential that the seeds, during the process of germination, should be kept constantly moist. From a neglect or oversight of this arise most of the failures. As the process of germination is shorter or longer in the different kinds of

seeds, the patience of the cultivator is often sorely tried with seeds of a slow germinating character. The patience of a devoted florist, however, never exhausts in these manipulations, and the certainty of his final success repays him fully for the little trouble.

Afterwards, when one or two inches high, the young plants can be removed on a rainy or cloudy, damp day to permanent positions; here the earth must be carefully prepared for their reception, being especially enriched by a previous application of very short, well rotted stable manure or compost.

In the after culture the most important matter is to keep the clumps well thinned, for crowding will defeat all other preparations, while space, which at first seems four times too much, will serve to develop robust plants, which, by their ample leafage and well developed flowers, will amaze people not familiar with the conditions necessary to successful plant culture.

In transplanting plants it is important to cut back branches and leaves, in order to secure thrift and good shape.

If Worms are found on the roots of House and Pot Plants, take half pound of fresh lime, dissolve it in one gallon of water. As soon as the lime is dissolved and its sediment settled, pour off the clear water, and apply same to the plant to saturate all the soil and repeat as often as necessary.

Too much and too little watering are both injurious to the plant. The only rule is, when the soil in a pot looks dry on its surface, apply milk-warm water enough to saturate all soil in the pot, then wait until the soil looks dry again before applying more.

Look out for insects, such as *aphis*, *red spider*, *scales*, etc. They multiply fast. For remedies and fertilizers see page 34.

**LEAF MOULD IS EXCELLENT MATERIAL FOR SOWING FINE SEEDS SUCCESSFULLY**



# CHOICE FLOWER SEEDS

## PRICES

Unless special marked, price for each paper Flower Seed, 5 cents; per dozen papers 50 cents.

## POSTAGE PAID

Directions for SOWING are Printed on the Different SEED PACKAGES.

### EXPLANATION OF THE MARKS.

"a" represents "annual," lasting but one year; "p" represents "perennial," three or more years. A large number of Biennials and Perennials, if sown early, flower the first season and are marked "t;" "h" represents "hardy;" "h h" represents "half hardy;" "t" represents "tender."

Our packets contain twice the amount of good, reliable Flower Seed than the common trade papers.



ASTER.

**Aster** (h h a)—Seeds are imported from Germany and saved from the finest double sorts. There is nothing finer than a bed of these in autumn. They need cool weather with a touch of frost in the air to bring out their colors. Seed should be sown in open ground in May to bloom finely in September and October, when the flowers are seen at their best. For earlier blooming sow under glass, or special hot-beds in March or April. Sow seed one-half inch deep in rich, light soil. Transplant two or three times, eighteen inches apart each way. Do not use fresh manure. A small portion of unslacked lime or wood ashes keeps insects from the roots.

**Victoria, or Truffaut**—It produces the most beautiful and perfectly formed flowers of pyramidal habit and is also the best for culture. In colors and mixed, paper, 10c.

**Queen of the Market**—The earliest of all Asters, grows about fifteen inches high; very branching and the flowers are on long, graceful stems, making it valuable for cutting. Per paper, 10c.

**Comet**—The most artistic in size and beauty. The petals are wavy incurved, simply magnificent. Per paper, 10c.

**Sample's Branching**—A class of Asters useful for cut flowers; they are very large and double; borne on long stiff stems, and the colors are clear and handsome. Price, per paper, 10c.

We also have fine mixtures in all colors; per paper, 5c.



AGERATUM  
PRINCESS PAULINE

**Ageratum** (h h a)—Exceedingly charming, free blooming bedding plants, and planted among Geraniums and Alyssums. For early blooming sow under glass. It is one of the few blue flowers which blossoms all summer. Cover seed slightly.

**Adonis** (h a)—Very pretty deep red; self-seeder.

**Amaranthus** (h a)—Ornamental leaf plant, valuable for bedding pot culture.

**Agrostemma** (h a)—Rose Champion—Free blooming rose, white and exceedingly pretty; should be more largely cultivated.

**Acroclinium** (h h a)—One of the most beautiful Everlastings, much used for winter bouquets.



Alyssum.

**Alyssum** (h a)—For borders, edgings, baskets, pots, rock-work and for cutting, we recommend a liberal use of this dainty little flower. In borders sow thickly so as to form masses, and quite early in spring or even the previous autumn. For winter bloom sow late in August,

and thin the seedlings to about a dozen for a good sized hanging basket. Cut back after the first flowers fade and others will come.





Brachycome.

**Balloon Vine** (h h a) — A pretty white climber, with green fruit.

**Bartonia** (h a)—Very showy, blooms yellow; fragrant in the evening. Sow it where it is to bloom, as it will not bear transplanting.

**Canterbury Bell** (h p)—Large bell-shaped flowers; very ornamental for gardens. They bloom all season, and should be grown extensively.

**Campanula** (Calycanthemum) or **Cup and Saucer** (h p)—Handsome bell-shaped flowers. Per paper, 10c.



Calendula.

produced in great profusion, and are strongly effective in beds, borders or backgrounds.

**Calempelis** († h p)—Fine for trellis.

**Clarkia** (h a)—Very pretty, especially the double, universally grown and admired; of easy culture.



Calliopsis.

**Centranthus**—Very pretty for flowering annuals, suitable for rockeries and vases.

**Brachycome** (h h a)  
—Swan River Daisy  
—A continual bloomer; should be started in hot-beds.

**Balsam** (h h a)—  
Most magnificent annual, producing masses of rich colors; transplanting has the tendency of making flowers double.

**Calendula** (h a)—  
Hardy annual about a foot high. The seed may be sown in open ground quite early in spring, and the plants will be in bloom early in summer, and continue until late in the autumn. The flowers exhibit every shade of yellow from ivory to deep orange, are

**Calliopsis or Golden Wave** (h a)—  
Fine showy plant; abundant in bloom and of bright colors; fine for cut flowers. Do not fail to have this beauty in your garden.

**Catchfly**—Bright colored, free flowering annuals, need rich light soil.

**Candytuft** (h a)—  
The Candytufts are among our best white flowers for edgings, for bedding or massing, for rockeries and for cutting. Several of the varieties are fragrant and all are profuse in bloom. Sow outdoors in April, where they are to bloom, and thin well when the plants grow about an inch. Sow again in a month, and late in July for flowers.

**Clematis Flamula**—Virgin's Bower—A climber, 12 feet; white flowers.

**Canary Bird Flower** (h h a)—A firm climber.

**Columbine** (h p)—They are fine, early, free flowering, hardy border plants; showy and ornamental. Every garden should have them.

**Cowslip** (h p)—Primula Veris—A favorite spring flower. 10c

**Cosmos** (h a)—  
Showy autumn bloomers, literally covered with large, single flowers, resembling Single Dahlias; colors range through shades of rose, purple, flesh and white; much admired. Ought to be in every garden on account of their being easily raised and making so grand a display; they are very popular.

We are offering the latest improved sorts.



BACHELOR'S BUTTON

**Centurea**—Cornflower (h a)—*C. Cyanus*, is also known as Blue Bottle, Ragged Sailor, Kaiser-Blumen, and sometimes as Bachelor's Button. These are bright-flowered plants of hardiest nature and simplest culture, and esteemed among the most attractive and graceful of all the old-fashioned flowers. When placed in water the flowers increase in size.

**MARGARITE**—Pure white, 2½ inches across, exquisitely lacinated and delightfully scented; form stocky, well budded little bushes. A garden treasure; 1½ feet. Paper, 10c.



Candytuft.



Cosmos.





**Margaret Carnation**—This grand, new strain of Carnation surpasses all others for the great beauty and loveliness of its fine, large, double, rich colored flowers and incessant bloom. The advantage of having carnations that will grow from seed and afford a great profusion of bloom the whole year round can well be appreciated by all lovers of this beautiful flower. Seed sown in early spring will bloom in early autumn, and the plant will increase in size and beauty until frost. Taken up and potted they make beautiful house plants, blooming freely through the winter. The stalks grow eight or ten inches high, and are always covered with a mass of buds and bloom. It is highly prized for window ornaments, also for cut flowers. The colors range through all shades. Highly scented.



Cobea Scandens.

**Cobea Scandens** († t p)—A fine, rapid growing climber, dark foliage, purple, bell-shaped flowers; will run from twenty to thirty feet in one season. Plant seed where wanted in early part of May. Most satisfactory for porches and trellises.



Cockscomb.

**Cockscomb** (h h a)—The bright red and crimson varieties are most effective, both in gardens and in winter bouquets, for which they are cut before fully ripe and dried in the house. The dwarf varieties make novel and

attractive borders; the tall ones form striking groups. Transplanting into rich soil about the time the combs begin to form makes these flower-heads much larger.

#### **Chrysanthemum**—

The annual Chrysanthemums are showy free-bloomers, and should be grown in gardens in large beds, where they will show their bright colors finely. Perfectly hardy and very desirable. A multitude of fine colors and shapes. Tobacco dust will destroy the black flea if attacked.



Chrysanthemum.

**Canna, or Indian Shot**—Half hardy perennials; are very ornamental and much employed in sub-tropical gardening for groups and masses. With rich soil and sheltered situation they will flower freely through the summer and late in the autumn. Soak seed about twelve hours in hot water; sow in hot-bed and plant out when the ground is warm. They are excellent pot plants for the house.

For Canna Roots see page 33.



Cypress Vine.

**Cypress Vine**—Tender annual climber, graceful foliage, with small red and white star-shaped flowers. For early flowers sow in hot-beds, pots or boxes, under glass, and transplant to deep and rich soil as soon as danger of frost is over, when sowing may be made in the open ground for later blooming. The seed is hard and horny and should be soaked in hot water before sowing.



**Datura** (h h a)—Very showy and large trumpet-shaped flowers.

**Daisy** († h p)—The poet's favorite; very popular; very fine for edging and borders; prefer a cool, shady place.

**Delphinium or Larkspur** (h a)—Handsome for any garden; of easy culture; a rich loam will produce its finest plants and flowers of various colors.

**Digitalis or Fox Glove** (h p)—Beautiful, showy border plants, very ornamental, particularly when planted among shrubs.



Eschscholtzia.

**Eschscholtzia** (h a)

—The state flower of California. An annual incomparably bright and rich in its pure tints of yellow and orange. The plants average about a foot in height, have beautiful silver foliage, and produce their large poppy-like flowers quite lavishly from early spring until frost. These sowings may be made early in spring or late in the autumn; for early germination and bloom, the next spring. Also very useful as a pot plant and for cut-flowers.

**Evening Primrose** (h p) — Shining white flowers.

**Feverfew or Matricaria**—Free flowering, hardy plants, succeeding in any garden soil; a fine bedding plant, or for pot culture; blooms until frost; hardy biennial; 18 inches.



Four O'Clock.

**Four O'Clock** (t a)—Handsome, free flowering, fragrant, blossoms variegated, striped and of various colors; easily cultivated and should be in every garden.

**Forget-Me-Not** (h h p)—Beautiful and well known, delicate flowers. Grows best in a moist situation.



Godetia.

**Godetia** — Choice, free-blooming annuals with widely opened flowers of satiny texture and of the most delicate and lovely colors. They are beautiful for solid beds, border, lines, pots, and to grow in shaded places where so few really fine flowers will flourish. Sow seed in the open border in spring, or in a cold-frame, and transplant seedlings

to stand about a foot apart in rather thin soil.



Gaillardia.

**Gaillardia** († h h p)—Showy and free bloomers; they are good bedders, very beautiful, fine for bouquets, and should be more generally cultivated.

**Gilea** (h a)—Free bloomer; fine for beds; look well on lawn rockery, and can be planted at any season.

**Gomphrena** (h a)—Globe Amaranthus, or Bachelor's Button; an old timer; for winter bouquets.

**Gypsophila** (h p)—Fine for bouquets, free bloomers; for rockwork or shrubbery, and will grow in any soil.

**Golden Feather** (h p)—Pyrethrum—Fine for edgings.

**Gourds** (t a)—Excellent for covering verandas or trellis work, and for training over arbors, fences, etc.; cultivated like squashes and should be started in hot-bed or house.

**SUGAR TROUGH OR SAP BUCKET**—Holding from four to ten gallons; strong, durable and light.

**NEST EGG GOURD**—Resembles in color, shape and size a hen's egg.

**DISHCLOTH OR LUFFA GOURD**—A natural dishcloth, and a most admirable one



Gourds.

is furnished by the peculiar lining of this fruit, which is sponge-like, porous, very tough, elastic and durable. Many ladies prefer this dishcloth to any other. The fruit grows about two feet in length and the vine is very ornamental, producing clusters of large, yellow blossoms in pleasing contrast with the silvery shaded, dark green foliage. In

the north this variety should be started in a hot-bed.

**Heliotrope**—Highly valued for their delightful fragrance. If sown in open, warm ground it flowers in August.

**Antirrhinum or Snap Dragon**—(† h p)—This is one of the finest border perennials; plants are free flowering, succeeding in all gardens.





Hollyhock.

**Hollyhock**—A hardy perennial, and should be in every garden. The *Everblooming Alleghaney* and *Charter's Superb* are particularly fine and most desirable. May be sown as late as August to flower the following year. It is advisable, however, to sow every year, as the flowers on young plants are much more vigorous than on old ones.

**Hyacinth Beans** (t a)—A fine climber; plant seed where desired to bloom.

**Hibiscus, or Rose of Sharon** (h a)—Showy flower.

**Helichrysum** (h a)—Desirable for beautiful winter flowers.

**Ice Plant** (t a)—Curious dwarf trailing plants, which have the appearance of being covered with ice; invaluable for hanging baskets.

**Lobelia** (h h a)—Fine for beds, edgings, ribbons, borders and hanging baskets; of easy culture.

**Mignonette** (h a)—A well known favorite; highly scented and flowering freely. If wanted in winter, seeds should be sown in July.

**Moonflower** (t a)—*Ipomœa Noctiflora*, or *Grandiflora*, Alba. This is a variety of which plants have been so extensively advertised the past few years. For covering walls or porches, or trellises, particularly the latter, when over paths, their beautiful pure white moonlike flowers (which are often six inches in diameter) are seen to great advantage. It is an exceedingly rapid grower. In rich ground, in a sunny situation, the plants readily grow 25 feet high in a season. Soak seed for twenty-four hours. Scrape off the pointed end with a pen-knife before planting. Paper, 10c.



Morning Glory.

**Morning Glories**—The surpassing charm of this JAPANESE MORNING GLORY, entrancing beauty and gigantic size of the flowers; they measure from four to six inches across. The colors of the flowers, shadings and markings are limitless. Paper, 10c.

**TALL MORNING GLORY**—The well-known old-fashioned climber. It is easy to grow and should be planted early.

**DWARF MORNING GLORY**—For growing in clumps of beds, well adapted for rockeries and hanging baskets.

**MIRABILIS**—See Four O'Clock.



ELDORADO MARIGOLD.

**Marigold** (h a)—These, like the *Calendulas*, are valuable because they light the garden with such a grand glitter of yellow far into the frosts of autumn. The dwarf varieties make a fine border for taller sorts, and both are effective when planted in groups or in garden borders.

**FRENCH DWARF**—Yellow and striped.

**TALL AFRICAN**—Large, double lemon color.

**ELDORADO**—Large, quilled, perfectly double; brilliant shades of yellow.

**Mourning Bride, or Scabiosa** (h a)—The Mourning Bride is a showy border plant, with beautiful variegated flowers. It succeeds in ordinary garden soil. *Minor Aurea* is a beautiful golden yellow; new variety.

**Maurandya** (t p)—A beautiful climber for training on trellises, verandas, etc.; abundant bloomer. Paper, 10c.

**Mimulus**—Monkey-flower (*Maskenblume*). Extremely handsome flower of brilliant colors; fine for flowering in pots or baskets. Cover seed slightly. See page 23. Paper, 10c.

**Musk Plant**—A well-known tender, biennial plant of musky odor. Paper, 10c.

**Nemophila** (h a)—This genus consists of very pretty annuals of easy growth; they deserve extensive cultivation; are good in pots and for edging, in rockeries, or in the garden.

**Nierembergia** (h p)—Handsome flowers; fine for hanging baskets and edgings.

**New Nicotiana Sanderae Hybrids**—Even the great beauty of *N. Sanderae* is eclipsed by these new hybrids, and their culture is simplicity itself. They thrive in almost any soil or situation, either in pots, boxes or the open ground. The colors embrace pink, mauve, heliotrope, purple, crimson, rose and white. Paper, 10c.

**Nolana**—A showy border plant; a fine trailer.

**Nigella, or Love in a Mist** (h a)—Curious and ornamental; fennel-shaped leaves; easily grown and hardy.





Nasturtium.

**Nasturtium, or Kapuziner Cresse** (h a)—Beautiful bedding plants. Planted in poor soil, they flower profusely and for a long time. The color of flowers cannot be excelled. Dwarf varieties should be planted so that they will contrast with white and blue flowers. We have a large variety of the choicest sorts. The Dwarfs are among the most useful and beautiful annuals for bedding and massing, while the tall sorts are admirably adapted for rock work, covering trellises and rustic work. Soil needs not to be rich. Choice mixed, 10c per ounce; in separate colors, in white, yellow, gold, orange, pink, red, crimson, brown and spotted, 15c per ounce.

**Chameleon Nasturtium**—Tall and dwarf. When in full bloom you can find every shade of color and form of markings known in Nasturtiums. No matter what color a flower may be when it opens, it changes color continually until it fades. The Chameleon Nasturtium is always curious, handsome and attractive. 15c per ounce.

**Lobb's Nasturtium**—Brilliant and profuse in colors and flowers; a trifle smaller than other sorts; height 6 feet. 15c per ounce.



Pansies.

what shaded from the sun and furnished with a good supply of water, but in almost any situation will give fine flowers in spring and autumn. Pansy seed may be sown in the hot-bed or open ground; if sown in the spring, get in as early as possible, so as to have the

**Pansies**—The pansy is a popular flower with both florist and amateurs, giving abundance of bloom until frost, enduring our hard winters with safety when covered, and greeting us in the earliest spring with a profusion of bright blossoms. It will flower better in the middle of the summer if planted where it is some-

plants in bloom during the early rains. Seed sown in cool places in June or July and watered until up, will produce fall flowering plants; if sown in October they will flower in early spring. To have good flowers the plants should be vigorous and make a rapid growth. Young plants give the largest flowers. Pansy seed is a specialty with us, and is the best that can be had. *Giant Trimardeau and Cassiers*, per paper, 10c.



Pink.

which for color and fragrance cannot be surpassed. Pinks succeed well in any fairly rich soil, but when the production of large flowers is aimed at, a richer soil should be prepared.

**Petunia** (h h p)—Highly ornamental; easy in cultivating; beautiful flowers of all colors, continuing to bloom until frost. There are no better plants than the petunia for beds, borders, window boxes, baskets and vases. Cover seed slightly (see page 23). Double and Star Petunias, per paper, 10c



Petunia

**Ricinus, or Castor Oil Bean** (h h a)—Very ornamental and quite tropical in appearance, much used for center plants of flower beds. A good variety is the Zanzibariensis, which surpasses in size and beauty all varieties hereto known. The leaves are light green with whitish ribs and measure from two to two and one-half feet across; for large groups or single specimens it is an exceedingly striking and effective ornamental foliage plant, growing 14 to 16 feet high.



Phlox Drummondii

**Phlox Drummondii** (h a)—A bed of these will be highly prized for unrivaled richness and brilliancy of color and profusion of bloom. By making several sowings they will bloom until frost. Also fine for pot culture. The Star of Quedlinburg, per paper, 10c.





Poppy.

**Poppy**—Very showy and free flowering. For beds and borders, with a background of green, there is nothing finer; some sorts are admirable for naturalizing woody spots; they are also fine for cutflower use; should be kept from forming seed to secure continuous flowering.

They are easily cultivated; the most suitable soil being sandy loam. Cover seed very lightly. Deserves a place in every garden.

**CARNATION FLOWERED**—Large, double.

**PEONY FLOWERED**—Large, very double.

**RANUNCULUS**—Small, double flowers.

**SCARLET**—Single field poppy.

**DANE BROG**—Single flowers of a brilliant scarlet, bearing a silvery white spot on each petal.

**THE SHIRLEY**—Is a magnificent variety, unsurpassed for beauty and color.

**TULIP POPPY**—Resembling the scarlet Due Van Thol Tulip. Single.

**CARDINAL**—Compact, of robust habit and brilliantly variegated in scarlet and white.

**AMERICAN FLAG**—Double, red and white.

**ORIENTAL**—Perennial and hardy, large scarlet flowers. Per package, 10c.


**Portulacca**—Should be in every garden. There is scarcely any flower in cultivation that makes such a dazzling display of beauty as a bed of many hued, highly colored Moss Flowers. They are in bloom from about the 1st of July until killed by the frost in autumn. Sow in open ground after it has become warm



Portulacca.

in light, sandy soil, and in a dry situation. After they appear, withhold water, and if the bed has a full exposure to the sun, the

ground will be covered with the plants, and the effect will be beautiful. Tender annual, nine inches high. They will stand any amount of dry weather. The double varieties of this plant are most beautiful. The blossoms are about one and a half inches across, perfectly double and of many colors. Not all the plants will be double, but the single ones can be pulled out. Cover thinly. Double Portulacca, paper, 10c.



## SWEET PEAS

Our Collection this Year  
Cannot be Excelled  
by any House. It is  
the Cream of Sweet  
Peas.

Nothing can be finer than a hedge of Sweet Peas. The variety of

color and the sweet-scented flowers make them desirable for every garden. To bloom early, seed should be planted very early in the spring. For a succession some should be planted every few weeks. Sweet Peas succeed best in deep, rich soil. The most approved method of cultivation is to sow in a trench five or six inches deep, covering them at first with *only one inch* of soil; then as the plant grows up, fill in the earth about them *one inch at a time*. After the plants are well grown up they should be watered copiously, and bone meal worked into the soil about the roots is recommended. Proper trellis or other support should be provided.

Below find the Names of Only a Few of the  
Leading Varieties

**MONT BLANC**—White; very early.

**EMILY HENDERSON**—Pure White.

**WONDER**—Double White.

**MRS. KENYON**—Large Yellow.

**QUEEN VICTORIA**—Primrose Yellow.

**MAJESTIC**—Deep Pink.

**KATHERINE TRACEY**—Brilliant Pink.

**COUNTESS SPENCER**—New, Beautiful Rose Pink; one of the best.

**APPLE BLOSSOM**.

**JANET SCOTT**—Pink and Buff.

**ROYAL ROSE**.

**HER MAJESTY**—Rosy Pink.

**PRINCE OF WALES**—Rose Crimson.

**SALOPIAN**—Brilliant Scarlet.

**CACCINEA**—Scarlet.

**PRIDE OF NIAGARA**—Pink and White.

**BLANCHE FERRY**—Extra Early, Pink and White.

**MAID OF HONOR**—Blush White.

**SCHAHZADA**—Claret and Maroon.

**HELEN PIERCE**—Bright Blue; shell-shaped flowers, beautiful.

**COUNTESS RADNOR**—Lavender.

**DOROTHY TENNANT**—Rosy Mauve.

**NAVY BLUE**—Best Dark Blue

**CAPTIVATION**—Light Magenta.

And many more NEW AND BEAUTIFUL varieties.

(All the above, 5c per paper, or 10c an ounce. Special prices by the pound.)



**Salpiglossis**—These annuals have very showy, large, funnel-shaped flowers, mottled, veined and self-colored; fine for beds. They require a rich soil, and will well repay liberal treatment.

**Salvia Splendens**—Flowering sage. A standard and well-known bedding plant that keeps the garden bright for their brilliant scarlet flower spikes until late in the fall. No plant could be finer for bedding. *We recommend it highly.* Per Paper, 10c.

**Schizanthus** (h h a)—Elegant and blooming very freely; large, beautiful flowers of many colors; fine for bedding.

**Sensitive Plant** (t a)—A very curious and interesting plant; leaves close when touched or shaken.

**Snap Dragon or Antirrhinum** († h p)—This is one of the finest border perennials; plants are free flowering, succeeding in all kinds of enriched soil, and should be in all gardens.

**Stocks** (h h a)—German Ten Week Levkoyen—The finest German varieties, unsurpassed for brilliancy, variety of color and fragrance. Transplanting several times in the early stages of growth tends to give them a more compact and dwarf habit.

**Sweet William** (h p)—A bed of these can hardly be surpassed in color and habit; producing large heads of beautiful colored flowers in great profusion; very effective for bedding. Admired by all.



Verbena.

**Verbena**—All of this genus are extremely beautiful and ornamental, flowering profusely, either as pot plants or in the garden. Our seeds are saved from fine named varieties, and will produce healthy plants with flowers of fine colors.

Plants raised from seed are much more vigorous than those grown from cuttings, and continue strong and healthy until destroyed by frost. They flower perfectly well from seed sown in spring. If started in the house in pots, during the winter, they will bloom sooner, but if sown in open ground in May, they will bloom in August. Each plant will require a space of one foot. Tender perennial trailer, one foot high.

The assortment we offer this season cannot be excelled: *Pure White, Scarlet, Auricula, Italian Striped, Purple and Fordhook*; the latter in brilliant mixed colors.



Whitlavia.

**Whitlavia**—Pretty annuals, with beautiful white and blue bell-shaped flowers; free flowering.

**Tassel Flower or Cacalia**—A pretty annual, with neat flowers; easily grown.

**Violets** (t p)—Sweet-scented, possess great beauty and

fragrance; seed takes a long time to germinate. Per Paper, 10c.

**Virginia Stock** (h a)—Early flowering and fine.

**Wallflower** (t p)—Favorite, sweet-scented, double flowers of fine colors; useful as spring bedders. Per Paper, 10c.

**Xeranthemum**—Showy, everlasting, retain their color and form the longest of all; much prized for winter bouquets.



Zinnia.

**Zinnia** (h h a)—Fine bedding and border plants, blooming long and abundantly. Beds of these are greatly admired. The colors are varied and bright, and plants easily grown. It should be more extensively cultivated, as the varieties have been

much improved of late. The collection offered will be found very choice, and are sure to give satisfaction. Zinnias succeed best in rich, deep and loamy soil, and in a sunny situation.



Passion Flower.

**Passion Flower** (h h p)—A most interesting and beautiful climber, requires a sunny position in open ground. Roots are hardy; although the vines die down to the ground in winter, but come up luxuriantly in the spring.



**Double Dahlias**—The Dahlia is the grandest autumn flower we have. Nothing is its equal in any respect in September and October. It is in its glory when everything



Dahlias

else is faded or fading, and surrenders only to the king frost. Plant tubers when the season becomes warm, covering the neck three inches. If many shoots start, thin them out.

As the Dahlia is a fall flower, there is no need of planting before about

the beginning of May or later.

These Dahlias of recent introduction are, in our estimation, the finest in cultivation.

**KRIEMHILDE**—Shell pink cactus. Most beautiful Dahlia in cultivation. Price, 25c.

**JOHN H. ROACH**—Fine, large, light yellow cactus. 15c.

**FLAMINGO**—Large scarlet cactus. 15c.

### POMPON OR BOUQUET DAHLIAS

**SNOW CLAD**—The best white pompon.

**MIGNON**—Brilliant Carmine; one of the best.

**KATHERINE SCHORR**—Best yellow pompon; blooms profusely until frost.

**SUNSHINE**—Bright scarlet; very fine.

**PHILIP PFREUD**—Exceedingly fine; bright orange; profuse bloomer.

### DOUBLE SHOW AND FANCY DAHLIAS

**MISS MAY LOOMIS**—Veery large; lavender and white.

**OBAN**—Fine, large lavender and pink flowers.

**HENRY PATRICK**—Fine large white perfect flowers.

**STORM KING**—Early, white, free flowering. 10c.

**ENCHANTRESS**—Pure white, solid and free bloomer. 15c.

**MAID OF KENT**—Cherry red, tipped white, flowers freely. 10c

**QUEEN VICTORIA**—Fine, large, yellow flowers.

**CLIFFORD BRUTON**—The finest, large, pure yellow, decoration Dahlias.

**A. D. LEVONI**—Clear, soft pink; finest pink Dahlia known.

**MARTIN**—Beautiful large vermillion flowers.

**FERN LEAVED**—Beauty—White, edged dark carmine red.

**ZULU**—Rightly named the Black Dahlia. Jet black, changing to maroon as flowers fully expand, and should be in every garden for its beauty and masses of fine flowers; a cactus variety.

All the above at 10c per root or \$1.00 per dozen, except where noted.



CALADIUM ESCULENTUM.

### Elephant Ear—Caladium Esculentum.

The Caladium is one of the handsomest of the ornamental leaved plants. There is nothing as good as the Caladium Esculentum for a grand bed of foliage in the garden or in the lawn.

Good roots, each 10c; per dozen, \$1.00.

### Flowers for Constant & Brilliant Show

All of the below named flowers marked with a\*, are suitable for Bouquets.

*Abronia	*Adonis	*Asters
*Alyssum	*Balsam	*Candytuft
*Canterbury Bell	*Columbine	Cockscomb
*Gaillardia	*Chrysanthemum	Four O'Clock
*Mourning Bride	*Mignonette	*Larkspur
*Pinks	*Pansy	*Foxglove
Snapdragon	Poppy	Petunia
Nasturtium	*Stocks	*Phlox
	*Zinnias	Salpiglossis
		Calendula

### FLOWERS FOR MASS OF COLORS

**WHITE**—Sweet Alyssum, Candytuft, \*Cosmos, Daisy.

**BLUE**—Ageratum, Forget-Me-Not, \*Cornflower, \*Gilia, Nemophila, \*Lobelia, Whitlavia, Larkspur, Nolana.

**SHADES OF RED**—Pinks, Portulacca, Phlox, Petunia, Stocks, Zinnia, Nasturtium.

**YELLOW**—\*Calliopsis, Bartonia, \*Calendula, Portulacca, Eschscholtzia, Marigold, \*Tasselflower, Cannas, Nasturtium.

### FOR SUMMER HEDGE AND FOLIAGE

Amaranthus	Perilla	Castor Beans
Sweet Peas	Cannas	Zinnia
Hollyhock	Euphorbia	Nasturtium

### CLIMBERS

Balloon Vine	Nasturtium	Passion Flower
Hyacinth Beans	Callempelis	Morning Glory
Balsam Apple	Maurandya	Japan Hops
Thunbergia	Cobea Scandens	Moonflower
Canary	Sweet Peas	Cypress
	Bryonopsis	Gourds

### ROCKERY

Alyssum	Linum	Godetia
Nemophila	Catchfly	Gilia
Linaria	Gypsophelia	Leptosiphon

### HANGING BASKETS

Clarkia	Dwarf Nasturtium
Lobelia	Dwarf Morning Glory
Abronia	Glory
Nierembergia	Ice Plant

### EVERLASTING

Acroclinium	Bachelor's Button
Xeranthemum	Ornamental Grasses



# Spring Bulbs

## GLADIOLUS BULBS IN MIXTURES

(If any kind of bulbs are wanted by mail, please add eight cents per pound.)



Gladioli

This magnificent family contains hundreds of varieties, comprising all imaginable colors, shades and variations. For cutting they are invaluable, the flowers lasting in water a week. They can be planted at any time from May to June 15th, and never fail to flower the same season; they grow in any garden soil, commence blooming in July, and by suc-

cessive planting every two weeks, can be had in flower the entire season. We keep the finest collection only.

	Per doz.	Per 100
White and light, extra fine.....	50c	\$4 00
Striped and variegated.....	40c	3 00
Groff's New Hybrid, first selection	40c	3 00
Child's, large flowers.....	40c	3 00
Lemoine's, fine bright colors and odd markings .....	40c	2 75

## TUBEROSES—DOUBLE

The Tuberose is a semi-tropical bulb, and as it requires a warm and sunny situation, it should not be planted outdoors until May. In cold latitudes, obtain tubers early, plant them in pots or boxes of earth and keep them in a warm place in the house; when warm weather transplant to the garden. Previous to potting, every little side bulb should be broken off and the old roots cut back close to the parent bulb, as they are practically of no value. Water should be given sparingly at first until they begin to form leaves, when the quantity can be increased. When leaves are about six inches long and begin to droop over they should be cut back half their length so as to force a quicker development of the flower spike.



Tuberose

	Doz.	Each
<b>Tall Double</b> —Extra size bulbs .....	50c	5c
“ “ —Second size .....	35c	
<b>Pearl</b> —Grows only 20 to 24 inches high; flowers are imbricated like double Camilla .....	50c	5c



Dwarf French Cannas

## CANNAS

But few plants are more easily managed than the Canna when propagation and cultivation are understood. The tubers will grow almost anywhere and under nearly all conditions, but prefer a very rich soil with plenty of moisture. The tubers should be planted singly, at least two feet apart; at this distance, in soil suited to them, they will form a complete mass.

The new French varieties give the best satisfaction; the large size and brilliant coloring of the flowers, embracing every shade of color, beautifully marked, mottled and spotted; dwarf compact habit of growth, and luxuriant foliage. These improvements are so decided as to make of the French Cannas one of the grandest novelties of the day.

Without exception there is no plant that makes a more grand, a more continuous show through the summer and autumn and less expensive than the French Cannas.

We have an especially good and large assortment of the latest varieties to offer this season. Below find a few of the leading sorts, no better and cheaper to be had anywhere.

**Emil Wieland**—This new Canna is an orchid type, the flowers are large and borne in immense trusses, color is intensely bright orange scarlet. It is a vigorous grower and profuse bloomer. leaves are bluish green, height three to four feet; price, 15c each.

**Burbank, Austria, Italica**—They are all large yellow orchid flowered varieties, of latest introduction and grow from five to seven feet in height.

**Florence Vaughan, Queen Charlotte**—Color of flowers is yellow, some spotted or striped with crimson; 3 to 4 feet high.

**Kate Gray, Chas. Henderson,\*J. C. Vaughn, Mad. Crozy**—Flowers ranging from orange to bright cardinal in color; 4 to 5 feet high.


**\*Egandale, Alphons Bouvier.\*Rubin, David Harum**—Flowers dark currant red color; 4 to 6 feet high.

**J. D. Eisele, Flamingo, Pennsylvania, Fair Persian, Etc.**

10c each, \$1.00 per dozen.

**\*Bronze or dark red foliage.**





## The Olmstead Improved Reliable Mole Trap

If you have moles in your garden, lawn or field, do not fail in getting this trap. It will surely catch your moles and save you a great deal of annoyance.—Each \$1.25.

Out O' Sight.....each, \$1.00



## Lang's Hand Weeder

Undoubtedly the best hand weeder on the market. Price, 25c.

## Excelsior Weeding Hook

Does good work among small and tender plants. Price 15c.

## Hand Seeders

### THE LIGHTNING SEED SOWER

Guaranteed to sow 60 acres per day (either horseback or on foot) of Clover, Timothy, Millet, Flax, etc. Will be sent to any Post Office \$1.25 on receipt of.....

If not satisfactory, money refunded. Circulars free. Agents wanted. W. J. BUSS, St. Golden, Ill.



**Premier**—A crank seeder; the seed is fed to the fan wheel through an adjustable slide in such a manner as to insure an even distribution.

**Perfection**—This machine is simple and strongly built; works easy and correct. Instructions with the seeder.

All of the above mentioned seeders each \$1.00.

## Rubber Sprinkler

OR ATOMIZER

Price .....45c, 55c and 80c

## Corn Shellers



**The Red Chief**—As a hand sheller this has valuable features, and gives general satisfaction.....\$1.50

**Black Hawk**—Guaranteed to give satisfaction.....2.25

Same, for popcorn.. 1.50

## PLANTING TROWELS

Of cast steel and solid shanks. Price, from 10c to 50c.

## CLIMAX LAWN WEEDER

A simple and easy working device for removing obnoxious weeds and plants from the lawn. Price, 75c.

## GARDEN DIBBLES

Of best steel, for transplanting. 35c

## E-Z SACK HOLDER

For sacking almost any kind of seed and grain. Is strong, light and easy to handle. Every farmer should have one. Price, \$1.50 each.

## DR. JOSEPH HASS' Hog and Poultry Remedy

Endorsed and recommended by the leading swine breeders of the United States and Europe.

Prevents Disease, Arrests Disease, Stops Cough, Destroys Worms, Increases Flesh, Hastens Maturity, Saves Feed.

## Collection of Vegetable Seeds

The following sorts can be replaced by others of the same value if specially wished. PAPERS ARE WELL FILLED WITH HIGH CLASS SEED.

Collection for One Dollar — One Package Each

FREE BY MAIL

BEANS—Dwarf or Pole.  
BEETS—Early Egyptian.  
CABBAGE—Early Wakefield.  
CABBAGE—Late Flat Dutch.  
CARROTS—Early Horn.  
CELERY—Boston Market.  
CELERIAC—Large Erfurt.  
CORN SALAD—Large-Leaved.  
CUCUMBER—Early Spine.  
ENDIVE—Green Curled.  
KOHLRABI—Early Vienna.  
LEEK—Large.  
LETTUCE—Curled Simpson.  
LETTUCE—Improved Hanson.  
MELONS—Rocky Ford.  
ONIONS—Red Wethersfield.  
ONIONS—White Globe.  
PEAS—American Wonder.  
PEAS—First and Best.  
RADISH—French Scarlet.  
RADISH—White Strassburg.  
SPINACH—Bloomsdale.  
TOMATO—Livingston's Perfection.  
TURNIP—Early Milan.

## COLLECTION OF FLOWER SEEDS FOR ONE DOLLAR.

ONE PACKAGE EACH

Alyssum, Sweet	Aster	Balsams
Candytuft	Cornflowers	Forget-Me-
Gaillardia	Larkspur	Not
Lobelia	Marigold	Mignonette
Musk Plant	Nasturtium	Pansies
Petunia	Phlox	Pinks
Poppy	Portulacca	Ricinus
Stocks, Levkoyen	Sweet Peas	Verbenas
	Zinnias	

Twelve papers of above for 50 cents. Free by mail.





## Food for Fowls, Chicks and Pigeons



**FOR FOWLS**—Why is it that you continue buying dirty screenings, when you can get good and clean feed—a balanced ration for fowls, costing only a trifle more? Even if you do feed the best of wheat and corn, it has not near the nutritive elements as the balanced ration food we offer. This food is composed of choice, sweet and re-cleaned grains, seeds and many other valuable ingredients, properly proportioned for egg production, and also promoting the health of fowls in general.—\$2.00 per 100 pounds.

**ALFALFA MASH**—Containing balanced egg producing ingredients. Moisten same with warm water at feeding time. It certainly will induce hens to lay early, when eggs are highest in price.—\$2.00 per 100 pounds.

**FOR CHICKS**—Use our complete food. This mixture consists of re-cleaned stock of cracked grain, millet, kaffir corn, etc., promoting a healthy growth, fattening them and bringing the young baby chicks quickly through their usual dangerous period.—\$2.25 per 100 pounds.


**FOR PIGEONS**—A food of many different grains and seed properly balanced, and is what pigeons delight in and thrive on.—\$2.00 per 100 pounds.

**ACME POULTRY FOOD**—A sure and safe preventative of all ailments poultry is subject to.—Per package 15 cents.

**PRATT'S ROUP CURE**—Quickly cures roup, colds, canker and diphtheria.—Per package 25 cents.

**HENFRIEND**—A simple contrivance, furnishing fowls with clean and pure water.—Price, 60 cents.

Oyster Shell, Mica Grit (large and small sizes). Blood Meal, Beef Scraps, Granulated Bone, Etc., at reasonable prices.



## FERTILIZERS

*Commercial Fertilizers are sure to come into more general use as fast as they are tried. Their quick and direct action commend them to the gardener. A customer who once buys, almost invariably continues its use. The enormous quantities sold annually give the best evidence of its utility and value to the GARDENER and FARMER. The quantity to use per acre depends upon the crop to be cultivated and conditions of soil.*

### PURE GROUND BONE.

This article we guarantee to be strictly genuine and an excellent fertilizer for grass land, as well as other crops not requiring potash. It does not, however, give as quick results as Bone Phosphate, but the effect is more lasting. Harrow or drill in, using 400 or 500 pounds per acre. In planting an orchard or any kind of a tree, take about two pounds of Ground Bone for each tree and you will surely gain one year's growth.—Price per bag of 200 lbs., \$4.50; 100 lbs., \$2.50; 25 lbs., \$1.00.

### Pure Dissolved Bone Phosphate

Stands without a rival as the largest crop producer at the smallest outlay. If applied with a drill, 400 lbs. will give excellent results the same season; if applied broadcast, use 500 lbs.—Price per bag of 200 lbs., \$3.75.

## CORN AND WHEAT GROWER.

The requirements of the crop named are fully met by this high grade article, and as it contains in a promptly available form the elements required to produce perfect grain, it will be found superior in every way. Drill in at seeding time 200 lbs., and broadcast 300 lbs. per acre.—Price per bag of 200 lbs. \$4.00.

### OUR LAWN FERTILIZER

Never fails to induce a rapid and rich green growth and can be applied either in the spring or fall as top dressing. Stable dressing for lawns is objectionable in appearance, odor, weed seed and cost. Our lawn fertilizer overcomes all this. Ten pounds are sufficient to cover an area of 15x20 or 300 square feet.—Price, 10 lbs. for 40c; 25 lbs. for 75c.

### PLANT FOOD.

An excellent fertilizer for house plants, clean to handle, without odor; produces rich green growth and profusion of flowers, if used according to directions which accompany each package.  
Florist Plant Food.—per pkg., postpaid, 30c  
Albert's Plant Food.—“ “ “ 25c



# INSECTICIDES

(On all insecticides ordered by mail, add 16c per pound)



## THE FRENCH BORDEAUX MIXTURE

IN FINE PULP (OR LIQUID) FORM

The finest and best article of its kind made in America. Ready for immediate use. Works freely without clogging, in any spraying machine. To be diluted 25 to 50 times with water and sprayed. Gal. \$1.00; qt. 30c.

**Consenscrated Kerosene Emulsion** — See page three—Per gallon can, \$1.00; quart, 30c.


☞ Be sure to read how to use the Bordeaux Mixture and Kerosene Emulsion.—Page 3.

## HAMMOND'S SLUG SHOT

☞ Its efficacy is conceded by all who make thorough tests.

It is an infallible insecticide; it is not poisonous; kills Potato Bugs, Cucumber, Melon and Squash Bugs; Currant, Cabbage and Tomato Cutworms; Rose and Raspberry Slugs and a good many other insects injurious to plants, shrubbery, etc. For further information send for a little pamphlet on Slug Shot.—Price, per 10 lbs., 50c; per 100 lbs., \$4.00.

Hammond's



**"Cattle Comfort"**

To Protect

Cows

Oxen

Mules

or Horses

Against Horse

Fly, Gnats,

Mosquitos, etc.

Price, can, 40c

## PARIS GREEN

Is sure to kill Potato Bugs; dissolve one teaspoonful in four gallons of water. Absolutely pure. Per lb., 35c.

## HELLEBORE

Destroys Rose Slugs and Currant Worms. A few applications only are necessary. Spray in early spring when leaves make their appearance.—Per lb., 25c.

## WHALE OIL SOAP

For washing trees and destroying all insects on the bark. Mix at the rate of one pound to four gallons of water. It will rid cabbage, rose bushes, peach trees, etc., of the aphides that so often infest them.—Per lb. 15c.

## FIR TREE OIL SOAP

It destroys all plant insects without injuring the plant. Mix at the rate of one ounce to a gallon of water and apply with a syringe.—Per ½ lb. can, 25c.

## SULPHUR-TOBACCO SOAP


A sure and safe exterminator of all kinds of insects and vermin.—Package, 20c.

## APHIS PUNK

A special preparation of nicotine for the extermination of Green and Black Fly, Etc., in greenhouses and conservatories.—Box 60c.

## BLACK DEATH

Death to all insect life, cheap and safe, ready for immediate use. It has a beneficial effect as a fertilizer wherever used.



## Lee's Liquid Lice Killer

**Sure death to all vermin on domestic animals**

One-half gallon...65c  
One quart...35c

See directions for use

## SANFORD'S INSECT POWDER

For Poultry, Cattle, Household and Garden. Directions on box. Price, 25c.

## RAFFIA

For making Indian Baskets, Hats, Etc. It attracts a good deal of attention; the work is taught in public schools, art classes, etc. Natural color, price, 25c per pound; five pounds, \$1.00.

Colored, in fifteen colors and shades, 65c per pound; 5c per ounce.

## RATTAN OR REED


For making Baskets, all sizes, from 60c to \$1.00 per pound; 5c per coil.

☞ If by mail, add to any of the above 16c per pound. Same on Insecticides.



## A SPRAYER


Nowadays is just as much needed as any other tool on the farm or in the garden.  
No household should be without one.



## INSECT EXTERMINATOR

FOR SPRAYING INSECTICIDES

See pages 3 and 35



Tennets, double tube, glass tank.....90c  
Lowell No. 1, double tube, glass tank ..85c  
Lowell No. 4, double tube, grand tin ..60c  
Smith's, single tube, tin .....30c

## Compressed Air Sprayer

BETTER THAN EVER

No complicated parts to get out of order.  
Does not require constant pumping like other sprayers.

One charge sufficient to expel entire contents of tank.  
Each sprayer thoroughly tested with both air and water pressure.

Machines can be easily washed and aired after using.  
New automatic thumb lever valve shuts off instantly.  
A child can operate it.

No packing or springs to wear out in the valve.


All working parts made of hard brass casting.

Tree attachment and galvanized funnel with brass wire strainer for filling with each machine.

The stamping, brass finishing and assembling all done in the factory by skilled mechanics.

Strongest sprayer made—will stand five times the air pressure necessary to operate.

Convex heads seamed, soldered and riveted.




Capacity of tank three gallons.

Handy to carry as a grip, shoulder strap with each machine.

It works automatically and can be charged by a few strokes.

Will hold its pressure for many hours throwing a fine continuous spray thirty feet high.

Full directions accompany each machine. **Price, \$5.00.**




## Lightning White-Wash Sprayer and Force Pump No. 28

This pump is constructed of heavy galvanized iron and is the only pump that will white-wash without clogging. Full directions sent with pump. **Price, \$2.25.**

## Japana Flower Holder


The Japana flower holder will at once be appreciated by the lover of flowers, offering as it does the advantage of a quick and easy method for the arrangement of flowers in the artistic and natural manner of growth in bowls of glass, china, pottery, metal, etc. It is an invaluable aid in the arrangement of flowers after the Japanese method. **Prices, 25c, 35c and 50c.**





# GARDEN TOOLS

If you expect to be prosperous in cultivating your land and garden, you cannot afford to be without labor-saving tools. For instance, with a wheel hoe before you, you are in position to push your work. With only your old-fashioned hoe, you will be pushed clear out of your garden by weeds, and take backache with you into the bargain. You can do better work in two hours—after you get the knack of handling these tools—than you can by hoeing all day.





## "PLANET JR." TOOLS

NOTHING IS EQUAL TO THEM

**New "Planet Jr." No. 3. Single-Wheel Hill-Dropping Seed Drill**—(Sows either in hills or continuous rows).—This seed drill has been offered widely by the manufacturers of the celebrated "Planet Jr." goods. It has been thoroughly tested by careful gardeners and nurserymen during several seasons, and the manufacturers guarantee it to give entire satisfaction.—Price, \$10.50.

### "Planet Jr." No. 4 Hill-Dropping Seed Drill, Hoe, Cultivator and Plow.

Combines conveniently in a single garden implement, a capital hill-dropping and continuous row seeder with the most perfect single-wheel hoe, cultivator and plow that the most practical can desire. Designed by a practical man, it is light, compact, durable and easy running and does all its great variety of work with a thoroughness and perfection that has never before been attempted, much less equaled.—Price, complete, \$11.00; as a drill only, \$9.00.




### This Latest "Planet Jr." No. 6 Hill and Drill Seeder and Wheel Hoe

Has been under construction for two years past and has been held back until every detail has been made as nearly perfect as it seems possible to have it. Hill seeders have been made for a number of years past and they have been received and used with a great deal of satisfaction. This is easily accounted for, as about one-half of our garden seeds are preferred in hills. Hill seeding can be done just as rapidly

as drilling; much seed is saved and the crop is more regular, and uniformity is one of the conditions necessary to produce a large yield.—Price of combination, \$13.50; hill and drill seeder, \$11.00.


### The "Planet Jr." Combined Drill, Wheel Hoe, Cultivator and Plow No. 1.

This most popular tool is suitable for either the farm or garden. As a drill it is exactly similar and equal to the No. 2, except in size. It holds one quart. As a plow, it opens furrows, covers them, hills, plows to and from, etc. As a hoe it works safely and closely to and from both sides of the row at once, when plants are small; between rows as plants grow larger, working all rows from eight to sixteen inches wide at one passage.—Price, \$9.00.



**The "PLANET JR." No. 2 Drill**—Holds two and one-half quarts. Is the old reliable drill, equally as good as the new, except that it does not drop in hills.—Price, \$7.25.






"Planet Jr." Double-Wheel Hoe

**"Planet Jr." Double-Wheel Hoe, Cultivator and Plow Combined No. 12**

Has the invaluable feature of tending both sides of the row at once. The wheels can be set at four, seven or ten inches apart. It has a pair of plows, two pair of cultivator teeth and a pair of leaf lifters, making it capable of every variety of gardener's work.—Price, \$7.00

**"FARMERS" No. 19**



**High Single-Wheel Hoe, Cultivator and Plow. Price, \$3.75**

This new and attractive implement is especially designed for the farmers' garden work, though it offers to every one with either field or garden, a cheap and effective tool for all hand wheel hoe operations. The tools are as follows: A large garden plow, 10-inch sweep, 6-inch sweep, 4-inch cultivator tooth

and a 2-inch tooth. The great variety and fine shape and quality of the tools make the implement valuable for many kinds of work. It is strong, well-made and can be quickly set so as to be useful, whether in the hands of a man or woman, boy or girl. Strength, variety of tools and cheapness are its great virtues.

**PLANET JR. Single Wheel Hoe, Cultivator and Plow**



**No. 17—Single Wheel Hoe**—Greatly improved. It is the latest and best in every particular, and we recommend it as superior in many respects to any of the old styles. This is a cheap cultivator for the money and should be used more extensively. **Price \$4 75.**

**THE PLANET JR.**

**Twelve-Tooth Harrow and Pulverizer Combined**

A new tool for fine cultivation, deep or shallow. It has a lever wheel and lever expander. Prices, with wheel, \$7.25; complete with pulverizer, \$9.00.

**The "Planet Jr." Horse Hoe No. 8**—Has the patent lever expander to open and shut the sides, and also a lever close at hand for raising and lowering the wheel, thus controlling the depth of working. The side levers are also changed in pattern and are now reversible and have patent plow share points, which can be sharpened. Price, complete, with lever expander and lever wheel, \$9.00; No. 7, \$8.50.

**The Fire-Fly Garden Plow**

This little plow is very useful in opening furrows, covering seed and hilling growing plants.

**PRICE, \$2.25**



Send for illustrated "PLANET JR." Book.—FREE on application.



## The "Standard" Hand Cultivators and Garden Plows

**Bicycle**—No. 2, Spring Beam, and No. 4, Double Wheel—Are substantially built, light running, easily adjusted, labor-saving tools and are great favorites with all who have used them.

Price, from \$4.50 to \$6.50




The cultivator attachment is very useful when deeper cultivation is desired. The attachment is always ready for use. It does not have to be "put on" or "taken off." It is always on and ready. The tool has only to be turned over and the shovels are ready for use.—**Price \$5.00.**

## The Barker Weeder and Mulcher

Operates on the plan of a lawn mower. It is better than a hoe. It is ten times as fast. It is easy to operate. It forms a dust mulch. Buy a Barker Weeder and Mulcher and cut your garden same as if you buy a lawn mower to cut your lawn. Cut your weeds in your garden *once a week*. It cuts the weeds under the ground as well as the weeds out of the ground. It pulverizes the ground fine which holds the moisture to feed the plant.

## The Acme Garden Plow

This is one of the strongest and most substantial hand plows made; it has a wheel twenty inches high, one plow with land slide, one cultivator blade, hoe and rake—made of the best steel and does very good work.—**Price \$3.00.**



## The "Easy"

Handy, simple and easy running single wheel hand garden plow.—**Price \$4.00.**

## Iron Age Cultivator Harrow

This is a new and valuable harrow. The teeth can be changed so that it can be made a perfect smoothing harrow. It pulverizes thoroughly and leaves the ground in the best possible condition.—**Price \$4.50.**


## Single and Double Wheel "Gem" Hand Cultivators

These are, without doubt, very popular and practical hand cultivators. They are made of the best material and give entire satisfaction.

Price—Single wheel.....\$4.50  
Single and double wheel combined 5.50

## "Our" Garden Hoe

This is an exceedingly neat, compact and useful hand tool, designed for use in garden cultivation. The frames and handles may be adjusted so that a child may use it. The blades can be set for plowing at various depths, and with the different attachments it can be used for nearly every kind of work in a small garden. It has a substantial steel wheel. The plow, as listed below, comprises cultivator blade, hoe, mold board, shovel and rake; a very complete outfit. The blades are made from the best spring steel.—**Price \$2.50.**



## Fruit Box Material AND BASKETS

OF EVERY DESCRIPTION

✉ Write for Prices.



# ...Useful Reference Table...

This Table Gives the Amount of Pure Clean Seed ONLY, and Which Every Farmer Ought to Buy. Good Fresh Seed Will Grow and Is Always the CHEAPEST. Experienced and Successful Farmers Recommend Heavy Seeding, Especially Where the Soil Is Poor.

	lbs. to bushel	lbs. to acre		lbs. to bushel	lbs. to Acre
Clover—Red .....	60	8-10	Southern Cow Peas .....	60	60-90
“ Alsike .....	60	4-6	Soja Beans .....	60	60-90
“ Alfalfa .....	60	15-20	Canada Field Peas .....	60	60-90
“ White Dutch .....	60	4-6	Kaffir Corn, broadcast .....	50	50
Timothy .....	45	10-15	Sorghum, broadcast .....	50	50
Millet and Hungarian .....	50	25-35	Buckwheat .....	50	15-20
Red Top, free from chaff .....	25	5-10	Dwarf Essex Rape .....	50	4-7
Blue Grass, free from chaff .....	24	24-50	Grass Mixture .....		20-25
Orchard Grass .....	14	20-25	Flax Seed .....	56	50
White Beans .....	60	15-30	Corn, in hills .....		4 qts.

# INDEX

PAGE	PAGE	PAGE
Asparagus ----- 8	Force Pumps ----- 37	Peas ----- 7
Alfalfa ----- 18	Forage Seeds ----- 20-21	Peppers ----- 13
Alsike ----- 19	Gladiolus ----- 33	Pencilaria ----- 21
Beans ----- 6	Grass Seed ----- 18	Potato ----- 15
Beets ----- 8	Hungarian ----- 19	Potato Scab ----- 15
Bordeaux Mixture ----- 3	Herbs ----- 17	Pumpkin ----- 15
Bulbs ----- 32-33	Insects ----- 3	Poultry Food ----- 35
Bluegrass ----- 18	Implements—Garden ----- 37-40	Raffia ----- 36
Broom Corn ----- 21	Insecticides ----- 3-36	Rattan ----- 36
Cabbage ----- 9	Kale, or Borecole ----- 11	Radish ----- 16
Cannas ----- 33	Kohlrabi ----- 11	Rape—Dwarf Essex ----- 21
Cauliflower ----- 9	Kaffir Corn ----- 19	Reference Table, 3d p. cover
Carrots ----- 10	Kerosene Emulsion ----- 3	Rhubarb ----- 16
Celery ----- 10	Lawn—Formation of a ----- 22	Salsify, or Vegetable
Chuffas ----- 20	Lawn Grass ----- 22	Oyster ----- 16
Cucumbers ----- 10	Lawn Fertilizers ----- 22-35	Soaking Seed ----- 3
Clover ----- 18	Leek ----- 11	Seed—How to Sow ----- 3
Corn Salad ----- 11	Lettuce ----- 12	Seed Sowers ----- 34
Cress ----- 11	Lice Killer ----- 36	Sweet Corn ----- 7
Crimson Clover ----- 19	Mustard ----- 11	Sweet Potato ----- 15
Cow Peas ----- 20-21	Mangel-Wurzel ----- 8	Sorghum ----- 19
Collection of Vegetable	Melons—Musk ----- 13	Soja Beans ----- 21
and Flower Seeds ----- 34	Melons—Water ----- 12	Spinach ----- 16
Corn ----- 7-20	Millet ----- 19	Squash ----- 16
Cultivators ----- 39-40	Mole Traps ----- 34	Sweet Peas ----- 30
Cultivation of Vegetables ----- 2	Miscellaneous Seeds ----- 21	Sugar Beet ----- 8
Cutworms ----- 3	Mushroom ----- 13	Sunflower ----- 21
Dahlias ----- 32	Novelties—Specialties ----- 4-5	Timothy ----- 18
Drills ----- 38	Nitro Culture ----- 19	Thinning Out ----- 3
Egg Plants ----- 11	Onions ----- 14	Tomato ----- 17
Elephant Ears ----- 32	Okra, or Gumbo ----- 13	Transplanting ----- 3
Endive ----- 11	Orchard Grass Seed ----- 18	Turnips ----- 17
Farm Seeds ----- 18-19	Oyster Shell ----- 35	Teosinte ----- 21
Fertilizers ----- 35	Parsnips ----- 13	Tube Roses ----- 33
Field Corn ----- 20	Parsley ----- 13	Vetches—Sand ----- 19
Flower Seed — Sowing		Weeders ----- 34
and Cultivation ----- 23		Whale Oil Soap ----- 36
Flowers ----- 24-33		
Fruit Boxes and Baskets ----- 40		



# Our Select Lawn Grass Seed

IS THE BEST—NOTHING BETTER

No Matter What You Pay or by Whom it is Offered—Price, 25c per lb.

In Making Up Your Flower Beds, Do Not Forget to Include the Following



TUBEROSE

**Dahlias**—In great profusion and colors.

**Cannas**—The latest and most brilliant shades.

**Rudbeckia**—One of the finest golden yellow perennials and should be in all gardens. See page 5.

**Asters**—Victoria and Truffauts Branching.

**Calendula**—Prince of Orange.

**Centaurea**—Margaritae, white, sweet scented; fine for cutting. Emperor William, dark blue cornflower.

**Cosmos**—Extra large flowers, in many colors.

**Nasturtium**—Lobb's and Chameleon.

**Petunia**—Star and fringed.

**Poppy**—Magnificent colors and shades.

**Sweet Peas**—Fifty varieties to select from.

**Salvia Splendens**—Or Mexican Sage.

**Verbena**—Scarlet Defiance and Mammoth White.

**Zinnia**—In most brilliant colors.

**Four O'Clock**—In all colors of rainbow.

**For Spring Bulbs**—Tuberoses, Gladiolus, Cannas, Caladiums, Etc.

**For Fall Planting**—Hyacinths, Tulips, Daffodils, Narcissus in great varieties. For house culture, we would in particular recommend the Paper White Narcissus as one of the best and most satisfactory bloomers through the winter months. Call for bulb catalogue.

IN CONCLUSION WE WOULD SUGGEST TO BUY  
GOOD RELIABLE

**Seeds, Seed Drills, Cultivators and Sprayers**

We Have Them, All First-Class; They Will Save You Money and Time. In Fact, You Cannot do Without Them to be Successful

FOR PROMPT AND SQUARE DEALINGS SEND YOUR ORDER